Volume Contents 1999

NUMBER 1

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

V. Nevalainen, T. Mansikka, R. Kostiainen, I. Simpura and J. Kokkonen 1 Mass spectrometric studies on the formation of chiral *N*-sulphonylated oxazaborolidinones

I. Simpura and V. Nevalainen 7 Studies on the role of Lewis basicity of the aldehydes utilized in the enantioselective Mukaiyama aldol reaction promoted by chiral 1,3,2-oxazaborolidin-5-ones

P. V. Ramachandran, M. P. Krzeminski, M. V. R. Reddy and H. C. Brown 11 A facile synthesis of chiral ω-allyl- and ω-*n*-propyllactones via asymmetric allylboration of formyl esters with *B*-allyldiisopinocampheylborane

J. R. Rich, R. S. McGavin, R. Gardner and K. B. Reimer 17 Synthesis of rhamnogalacturonan I oligosaccharides: synthesis of a tetrasaccharide intermediate

W. Tochtermann, D. Kuckling, C. Meints, J. Kraus and G. Bringmann 21 Synthesis and absolute configuration of a bi[10]paracyclophane with two chiral planes and one chiral axis

X. Dai and S. Virgil 25 Synthesis of 2-heterosubstituted quinazolinone atropisomeric phosphine ligands by direct lithiation of a 2-unsubstituted quinazolinone system

ARTICLES

R. N. Patel, A. Banerjee, R. L. Hanson, D. B. Brzozowski, L. W. Parker and L. J. Szarka 31 Oxidation of Nα-protected-L-lysine by *Rhodotorula graminis* to produce novel chiral compounds

D. W. Armstrong, L. He, T. Yu, J. T. Lee and Y. Liu 37 Enantiomeric impurities in chiral catalysts, auxiliaries, synthons and resolving agents. Part 2

A. Szabo, N. Künzle, T. Mallat and A. Baiker 61 Enantioselective hydrogenation of pyrrolidine-2,3,5-triones over the Pt–cinchonidine system

P. Borrachero, F. Cabrera, Mª J. Diánez, Mª D. Estrada, M. Gómez-Guillén, A. López-Castro, J. Mª Moreno, J. L. de Paz and S. Pérez-Garrido 77 Regio- and stereoselective synthesis of 3- and 5-(*C*-glycosyl)-4-nitro-isoxazolidines by nitrone–nitroalkene [3+2] cycloaddition reactions

X. Feng and E. D. Edstrom 99 A synthetic approach to diaryl ethers using the Robinson annulation

U. T. Strauss, U. Felfer and K. Faber 107 Biocatalytic transformation of racemates into chiral building blocks in 100% chemical yield and 100% enantiomeric excess

A. Miyadera and A. Imura 119 Enantioselective synthesis of a key intermediate of Levofloxacin using microbial resolution

V. B. Birman, A. L. Rheingold and K.-C. Lam 125 1,1′-Spirobiindane-7,7′-diol: a novel, C_2-symmetric chiral ligand

X. Yang, J. Shen, C. Da, R. Wang, M. C. K. Choi, L. Yang and K. Wong 133 Chiral pyrrolidine derivatives as catalysts in the enantioselective addition of diethylzinc to aldehydes

J.-L. Gras, T. Soto and J. Viala 139 Chiral conformationally restricted arachidonic acid analogs based on a 1,3-dioxane core

M. Breznik, V. Hrast, A. Mrcina and D. Kikelj 153 Stereoselective synthesis of (*R*)- and (*S*)-2-methyl-3-oxo-3,4-dihydro-2*H*-1,4-benzoxazine-2-carboxylic acids, -carboxylates and -carboxamides

M. Schön and R. Naef — 169 New 1-amino-1,2-diphenylethanols as ligands for the enantioselective addition of alkyllithiums to benzaldehyde

A. Soi, J. Pfeiffer, J. Jauch and V. Schurig — 177 Synthesis of chiral calix[*n*]arenes. Part 2: Synthesis of new chiral calix[*n*]arenes based on (*p*-hydroxy-phenyl)-menthone

S. Ozaki, H.-J. Yang, T. Matsui, Y. Goto and Y. Watanabe — 183 Asymmetric oxidation catalyzed by myoglobin mutants

S. Arseniyadis, M. del Rosario Rico Ferreira, J. Quilez del Moral, J. I. Martin Hernando, N. Birlirakis and P. Potier — 193 Studies towards the total synthesis of taxoids: a rapid entry into bicyclo[6.4.0]dodecane ring system. Part 2

A1 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 2

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

T. L. Schull and D. A. Knight — 207 New chiral phosphine-phosphonites derived from (2*R*,3*R*)-dimethyl tartrate, (*S*)-binaphthol and (1*R*,2*S*)-ephedrine

P. D. Kary, S. M. Roberts and D. J. Watson — 213 Studies towards the total synthesis of altohyrtin A: a convergent approach to the C38–C51 carbon framework

P. D. Kary and S. M. Roberts — 217 A second generation pyranose-based approach to the F ring (C38–C45) of altohyrtin A

D. Taniyama, M. Hasegawa and K. Tomioka — 221 A facile asymmetric synthesis of 1-substituted tetrahydroisoquinoline based on a chiral ligand-mediated addition of organolithium to imine

Z. Wang, C. Zhao, M. E. Pierce and J. M. Fortunak — 225 Enantioselective synthesis of β-hydroxy carboxylic acids: direct conversion of β-oxocarboxylic acids to enantiomerically enriched β-hydroxy carboxylic acids via neighboring group control

ARTICLES

G. V. M. Sharma, I. S. Reddy, V. G. Reddy and A. V. R. Rao — 229 Synthesis of a new isoxazolidine from diacetone glucose

G. Mugesh, H. B. Singh and R. J. Butcher — 237 Novel chiral organoselenenyl halides stabilized by Se···N nonbonded interactions: synthesis and structural characterization

J. You, X. Yu, K. Liu, L. Tao, Q. Xiang and R. Xie — 243 Synthesis of novel chiral lipophilic pyridyl-containing β-amino alcohol ligands and enantioselective hydrolysis of α-amino acid esters by chiral metallomicelles

A. R. Katritzky, J. Cobo-Domingo, B. Yang and P. J. Steel — 255 Stereospecific synthesis of oxazolo[3,4-*b*]tetrahydroisoquinolin-3-ones, analogs of podophyllotoxin, via benzotriazole methodology

S. O. Nilsson Lill, P. I. Arvidsson and P. Ahlberg — 265 Computational study of solvation and stereoselectivity in deprotonation of cyclohexene oxide by a chiral lithium amide

L. Santagostini, M. Gullotti, R. Pagliarin, E. Bianchi, L. Casella and E. Monzani — 281 Functional mimics of copper enzymes. Synthesis and stereochemical properties of the copper(II) complexes of a trinucleating ligand derived from L-histidine

J. C. F. Alves, A. B. C. Simas and P. R. R. Costa — 297 Formal enantioselective synthesis of (+)-vincamine. The first enantioselective route to (+)-3,14-epivincamine and its enantiomer

F. Bordusa, C. Dahl, H.-D. Jakubke, K. Burger and B. Koksch — 307 Synthesis of α-fluoroalkyl substituted peptides via enzymatic fragment condensation

W. Adam, C. R. Saha-Möller and K. S. Schmid — 315 Lipase-catalyzed kinetic resolution of *Z*-configured homoallylic alcohols

D. Enders, C. R. Thomas and J. Runsink — 323 5-Amino-4-aryl-2,2-dimethyl-1,3-dioxans: application as chiral NMR shift reagents and derivatizing agents for acidic compounds

D. Wang, Z. G. Wang, M. W. Wang, Y. J. Chen, L. Liu and Y. Zhu — 327 Asymmetric allylation of aldehydes and glyoxylates through 'C-centered' chiral pentacoordinate allylsilicates or promoted by Lewis acid

T. Kusakari, T. Ichiyanagi, H. Kosugi and M. Kato — 339 BF_3-induced cyclobutane-opening of verbenone and its deconjugate homolog. Efficient preparation of *o*-mentha-1,8-dien-3-one and *o*-menth-1-en-3-one in optically active forms

S. U. Son, H.-Y. Jang, J. W. Han, I. S. Lee and Y. K. Chung — 347 New planar chiral P,N-ligands containing tricarbonyl(arene)chromium for enantioselective asymmetric hydroboration of styrenes

A. Martin, M. P. Watterson, A. R. Brown, F. Imtiaz, B. G. Winchester, D. J. Watkin and G. W. J. Fleet — 355 6*R*- and 6*S*-6*C*-Methylmannose from D-mannuronolactone. Inhibition of phosphoglucomutase and phosphomannomutase: agents for the study of the primary metabolism of mannose

I. Alfonso, F. Rebolledo and V. Gotor — 367 Chemoenzymatic syntheses of two optically active hexa-azamacrocycles

J. J. Almena Perea, M. Lotz and P. Knochel — 375 Synthesis and application of C_2-symmetric diamino FERRIPHOS as ligands for enantioselective Rh-catalyzed preparation of chiral α-amino acids

G. Bringmann and M. Breuning — 385 Atropo-enantioselective reduction of configurationally unstable biaryl lactones with BINAL-H

R. J. Tennant-Eyles and A. J. Fairbanks — 391 Novel ester linked glycosyl amino acids: convenient building blocks for the synthesis of glycopeptide libraries

A23 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 3

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

M.-E. Gourdel-Martin, C. Comoy and F. Huet — 403 Enantioselective synthesis of (+)-3-oxabicyclo[3.2.0]hept-6-en-2-one

T.-K. Yang and D.-S. Lee — 405 Application of MerCO as a chiral catalyst in asymmetric synthesis: asymmetric borane reduction of ketones

ARTICLES

L. Cai, H. Mahmoud and Y. Han — 411 Binuclear versus mononuclear copper complexes as catalysts for asymmetric cyclopropanation of styrene

H.-S. Yuan and Z.-T. Huang — 429 Synthesis of chiral calix[4]arenes bearing tartaric ester moieties

L. Banfi and G. Guanti — 439 Protecting group controlled stereoselective alkylation of asymmetrized bis(hydroxymethyl)propanoates (BHYMP*)

I. Izquierdo, M. T. Plaza, M. Rodríguez and J. Tamayo — 449 Chiral building-blocks by chemoenzymatic desymmetrization of 2-ethyl-1,3-propanediol for the preparation of biologically active natural products

E. Montenegro, A. Moyano, M. A. Pericàs, A. Riera, A. Alvarez-Larena and J.-F. Piniella — 457 Studies on the Pauson–Khand reaction of alkynyl sulfoxides. Unexpectedly easy racemization of their dicobalt hexacarbonyl complexes

M. Quirós, F. Rebolledo and V. Gotor — 473 Bioreduction of 2-oxocyclopentanecarboxamides: syntheses of optically active 2-aminomethyl- and 2-aminocyclopentanols

G. Broggini, L. Garanti, G. Molteni and G. Zecchi	487	The first case of asymmetric induction in intramolecular nitrile imine cycloadditions: synthesis of enantiopure 3-substituted 6-oxo-2,3,3a,5-tetrahydro-4-carbomethoxy-furo[3,4-*c*]pyrazoles
P. Camps, F. Pérez, N. Soldevilla and M. A. Borrego	493	(*R*)- and (*S*)-3-Hydroxy-4,4-dimethyl-1-phenyl-2-pyrrolidinone as chiral auxiliaries in the enantioselective preparation of α-amino acids
V. I. Rozenberg, N. V. Dubrovina, E. V. Vorontsov, E. V. Sergeeva and Y. N. Belokon'	511	New chiral β-diketones based on [2.2]paracyclophane
P. Jankowski, E. Schaumann, J. Wicha, A. Zarecki and G. Adiwidjaja	519	Facile synthesis of enantiomerically pure *tert*-butyl(methyl)phenylsilanes
P. I. Arvidsson, Ö. Davidsson and G. Hilmersson	527	Enantioselective butylation of aliphatic aldehydes by mixed chiral lithium amide/*n*-BuLi dimers
J. Kiegiel, A. Papis and J. Jurczak	535	Asymmetric reduction of *N*-methylglyoxyloyl- and *N*-phenylglyoxyloyl-(2*R*)-bornane-10,2-sultam
G. Chelucci, S. Medici and A. Saba	543	Steric effects of the ligand in the enantioselective palladium-catalyzed allylic alkylation using chiral oxazolinylpyridines
A. C. Dahl, M. Fjeldberg and J. Ø. Madsen	551	Baker's yeast: improving the D-stereoselectivity in reduction of 3-oxo esters
M. Medio-Simón, J. Gil, P. Aleman, T. Varea and G. Asensio	561	Selective lipase-catalyzed acylation of epimeric α-sulfinyl alcohols: an efficient method of separation
A. Forster, T. Kovac, H. Mosimann, P. Renaud and P. Vogel	567	Resolution of 7-oxabicyclo[2.2.1]hept-5-en-2-one via cyclic aminals
D. Che, J. Siegl and G. Seitz	573	Synthesis of chiral 2-(2′-pyrrolidinyl)pyridines from (*S*)- and (*R*)-proline: potential ligands of the neuronal nicotinic acetylcholine receptors
R. Galeazzi, S. Geremia, G. Mobbili and M. Orena	587	Stereoselective reduction of chiral *trans*-3-acetyl-4-alkylpyrrolidin-2-ones
	A47	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 4

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 41
S. E. Boiadjiev and D. A. Lightner	607	Optical activity and stereochemistry of linear oligopyrroles and bile pigments
		COMMUNICATIONS
J. Kang, C. W. Lee, G. J. Lim and B. T. Cho	657	A concise synthesis of unnatural (+)-5-*epi*-nojirimycin-δ-lactam via asymmetric reduction of a *meso*-imide
H.-X. Wei, J. D. Hook, K. A. Fitzgerald and G. Li	661	Asymmetric synthesis of β-monosubstituted and β,β-disubstituted *N*-(*p*-toluenesulfinyl)-α-(aminoalkyl)acrylates via anionic additions of (α-carbalkoxyvinyl)cuprates to thiooxime *S*-oxides
Z.-M. Wang, S.-K. Tian and M. Shi	667	A facile route to the total synthesis of gigantetrocin A
C. E. Song, C. R. Oh, E. J. Roh, S. Lee and J. H. Choi	671	One-step synthesis of paclitaxel side-chain precursor: benzamide-based asymmetric aminohydroxylation of isopropyl *trans*-cinnamate
S. Marumoto, H. Kogen and S. Naruto	675	Synthetic study on L-755,807: asymmetric synthesis of the epoxy-γ-lactam moiety

ARTICLES

K. Konigsberger, K. Prasad and O. Repič	679	The synthesis of (*R*)- and (*S*)-α-trifluoromethyl-α-hydroxycarboxylic acids via enzymatic resolutions
M. J. Costanzo, L. Jaroskova, D. A. Gauthier and B. E. Maryanoff	689	Stereochemistry of addition of carbanion reagents to 'diacetone fructose aldehyde'. Configurational assignment of a 1-deoxyheptulose derivative by X-ray crystallography and NMR studies directed to the assignment of isomeric adducts
R. Schoevaart, F. van Rantwijk and R. A. Sheldon	705	Class I fructose-1,6-bisphosphate aldolases as catalysts for asymmetric aldol reactions
D. Ma and K. Cheng	713	Enantioselective synthesis of functionalized α-amino acids via a chiral guanidine catalyzed Michael addition reaction
E. García-Urdiales, F. Rebolledo and V. Gotor	721	Enzymatic ammonolysis of ethyl (±)-4-chloro-3-hydroxybutanoate. Chemoenzymatic syntheses of both enantiomers of pyrrolidin-3-ol and 5-(chloromethyl)-1,3-oxazolidin-2-one
K. Pai Fondekar, F.-J. Volk and A. W. Frahm	727	Carbocyclic α-amino acids: asymmetric synthesis of all four 1-amino-2-hydroxycyclohexanecarboxylic acids
Y. Watanabe, N. Mase, M. Tateyama and T. Toru	737	An improved and efficient procedure for the preparation of chiral sulfinates from sulfonyl chloride using triphenylphosphine
M. Tiecco, L. Testaferri, F. Marini, C. Santi, L. Bagnoli and A. Temperini	747	Asymmetric oxyselenenylation–deselenylation reactions of alkenes induced by camphor diselenide and ammonium persulfate. A convenient one-pot synthesis of enantiomerically enriched allylic alcohols and ethers
X. Li, C. Yeung, A. S. C. Chan and T.-K. Yang	759	New 1,3-amino alcohols derived from ketopinic acid and their application in catalytic enantioselective reduction of prochiral ketones
L. Battistini, G. Rassu, L. Pinna, F. Zanardi and G. Casiraghi	765	Diastereoselective synthesis of a novel lactam peptidomimetic exploiting vinylogous Mannich addition of 2-silyloxyfuran reagents
M. Adamczyk, D. D. Johnson and R. E. Reddy	775	Collagen cross-links: a convenient synthesis of *tert*-butyl-(2*S*)-2-[(*tert*-butoxycarbonyl)amino]-4-(2-oxiranyl)butanoate
J. I. Martín Hernando, J. Quílez del Moral, M. del Rosario Rico Ferreira, J. I. Candela Lena and S. Arseniyadis	783	Taxoid C-ring building blocks from Hajos–Parrish ketone. Practical synthesis of an enantiomerically pure taxoid ABC ring system
A. Ortiz, N. Farfán, H. Höpfl, R. Santillan, M. E. Ochoa and A. Gutiérrez	799	A new method for the preparation of unsymmetrical 1,4-substituted piperazine derivatives
	A79	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 5

Contents

	v	Contributors to this issue
	vii	Graphical abstracts

COMMUNICATIONS

N. W. Boaz	813	Enzymatic desymmetrization of *cis*-1,3-cyclohexanedicarboxylic acid diesters
K.-U. Schöning, R. K. Hayashi, D. R. Powell and A. Kirschning	817	Synthetic studies toward ansatrienines: application of the Evans–Tishchenko reaction to chiral enones
R. Chinchilla, L. R. Falvello, N. Galindo and C. Nájera	821	Asymmetric synthesis of bicyclic α-amino acids by a Diels–Alder reaction to a new chiral α,β-didehydroalanine derivative
A. Kornienko and M. d'Alarcao	827	Synthesis of cyclitols via ring-closing metathesis

A. M. Maj, K. M. Pietrusiewicz, I. Suisse, F. Agbossou and A. Mortreux	831	Chiral β-aminophosphine oxides as ligands for ruthenium assisted enantioselective transfer hydrogenation of ketones
Z.-B. Zhang, Z.-M. Wang, Y.-X. Wang, H.-Q. Liu, G.-X. Lei and M. Shi	837	A facile synthetic method for chiral 1,2-epoxides and the total synthesis of chiral pheromone epoxides
		ARTICLES
M. Roeder, O. Spiegelstein, V. Schurig, M. Bialer and B. Yagen	841	Absolute configuration of the four stereoisomers of valnoctamide (2-ethyl-3-methyl valeramide), a potentially new stereospecific antiepileptic and CNS drug
X.-T. Zhou, Y.-R. Lin and L.-X. Dai	855	A simple and practical access to enantiopure 2,3-diamino acid derivatives
J. Frelek, M. Geiger and W. Voelter	863	Absolute configurational assignment of α-hydroxy acids and α-hydroxy esters from their Cupra A circular dichroism spectra
G. V. M. Sharma and K. Krishnudu	869	Radical cyclisation approach for the first synthesis and determination of absolute stereochemistry of discosiolide from diacetone glucose
H. Tsuruta and T. Imamoto	877	A new P-chiral bisphosphine, 1,1′-bis[(*t*-butyl)methylphosphino]ferrocene, as an effective ligand in catalytic asymmetric hydrosilylation of simple ketones
A. Sharma and S. Chattopadhyay	883	Enantiospecific synthesis of some bioactive amino alcohols and related compounds from cyclohexylideneglyceraldehyde
S. R. Ghorpade, R. K. Kharul, R. R. Joshi, U. R. Kalkote and T. Ravindranathan	891	Desymmetrization of *meso*-cyclopenten-*cis*-1,4-diol to 4-(*R*)-hydroxycyclopent-2-en-1-(*S*)-acetate by irreversible transesterification using Chirazyme®
J.-P. Praly, C. Di Stèfano, L. Somsák, M. Hollósi, Z. Majer and W. Voelter	901	Structure of C-1 substituted glycopyranosyl azides: new insights based on CD measurements
I. Philipova, V. Dimitrov and S. Simova	913	(–)-Fenchone derived epoxy alcohols—preparation and configuration
S. Rissom, J. Beliczey, G. Giffels, U. Kragl and C. Wandrey	923	Asymmetric reduction of acetophenone in membrane reactors: comparison of oxazaborolidine and alcohol dehydrogenase catalysed processes
G. Lenoble, R. Naigre, T. Chenal, M. Urrutigoïty, J.-C. Daran and P. Kalck	929	Diastereoselective cyclocarbonylation of isopulegol by palladium(II) complexes containing no chiral ligands
M. Oba, T. Terauchi, A. Miyakawa and K. Nishiyama	937	Asymmetric synthesis of L-proline regio- and stereoselectively labelled with deuterium
R. Sánchez-Obregón, B. Ortiz, F. Walls, F. Yuste and J. L. García Ruano	947	Asymmetric synthesis of α-acetylenic epoxides
H. Yang, E. Henke and U. T. Bornscheuer	957	Highly efficient double enantioselection by lipase-catalyzed transesterification of (*R,S*)-carboxylic acid vinyl esters with (*RS*)-1-phenylethanol
M. Tori, K. Hisazumi, T. Wada, M. Sono and K. Nakashima	961	Total synthesis of optically active liverwort sesquiterpenes, trifarienols A and B, using phenylethylamine as a chiral auxiliary
Y. Arroyo-Gómez, J. A. López-Sastre, J. F. Rodríguez-Amo, M. Santos-García and M. A. Sanz-Tejedor	973	Stereoselective preparation of *O*-alkoxy D-tetrose, D-pentose, 2-deoxy-D-glycero tetrose and 2,3-dideoxy-D-*erythro* pentose derivatives by an iterative elongation of 2,3-*O*-isopropylidene-D-glyceraldehyde
G. H. P. Roos and A. R. Donovan	991	Synthesis of novel C_2-symmetric ligands based on (*R,R*)- and (*S,S*)-diphenyl-1,3-propanediol
A. Kaiser and M. Balbi	1001	Chiral 1,3-diamines from a lithiated isocyanide and chiral aziridines
	A103	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 6

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

Y. Quesnel, L. Toupet, L. Duhamel, P. Duhamel and J.-M. Poirier 1015 Application of the retroaldol reaction to asymmetric synthesis: a new concept in organic syntheses

C. Santi and T. Wirth 1019 Synthesis of non-racemic nitrogen-containing diselenides as efficient precursor catalysts in the diethylzinc addition to benzaldehyde

A. Saitoh, M. Misawa and T. Morimoto 1025 A new C_2-symmetric chiral diphosphine ligand: palladium-catalyzed enantioselective allylic alkylation of cycloalkenyl substrate

H. Tamiaki and M. Onishi 1029 Synthesis of novel chiral amino acids possessing a porphyrin moiety

ARTICLES

S. Lochyński, B. Frąckowiak, A. Siemieniuk, K. Piątkowski, Z. Ciunik and C. Wawrzeńczyk 1033 Synthesis and stereochemistry of some new derivatives of *cis*-dihydropinol

P. Hayes and C. Maignan 1041 Ready access to the 6,8-dioxabicyclo[3.2.1]octane ring system using asymmetric heterocycloaddition induced by a chiral sulfoxide: application to the total synthesis of the *Mus musculus* pheromone

C. Imboden and P. Renaud 1051 Preparation of optically active *ortho*-chloro- and *ortho*-bromophenyl sulfoxides

S. Comesse and O. Piva 1061 Diastereoselective protonation of dienols: a formal approach to zaragozic acid C side chain

J.-R. Labrosse, C. Poncet, P. Lhoste and D. Sinou 1069 Asymmetric palladium(0)-mediated synthesis of 2-vinylchroman

J. Bálint, G. Egri, E. Fogassy, Z. Böcskei, K. Simon, A. Gajáry and A. Friesz 1079 Synthesis, absolute configuration and intermediates of 9-fluoro-6,7-dihydro-5-methyl-1-oxo-1*H*,5*H*-benzo[*i*,*j*]quinolizine-2-carboxylic acid (flumequine)

D. H. Hochmuth and W. A. König 1089 Synthesis, resolution and determination of energy barriers to rotation of atropisomeric, planar-chiral [*n*]paracyclophanes by dynamic enantioselective gas chromatography and computer simulation

P. L. Polavarapu, C. Zhao and K. Ramig 1099 Vibrational circular dichroism, absolute configuration and predominant conformations of volatile anesthetics: 1,2,2,2-tetrafluoroethyl methyl ether

J.-P. Barnier, V. Morisson, I. Volle and L. Blanco 1107 Chemo-enzymatic preparation of optically active *endo*-bicyclo[4.1.0]heptan-2-ols

M. C. Carreño, J. L. García Ruano, C. Lafuente and M. A. Toledo 1119 Asymmetric Diels–Alder reactions of 5-substituted and 5,6-disubstituted (*S*)-2-(*p*-tolylsulfinyl)-1,4-benzoquinones with cyclopentadiene and *trans*-piperylene

C. Tanyeli, B. Sezen, A. S. Demir, R. Brondi Alves and S. Arseniyadis 1129 PLE and HLE catalyzed reverse enantiomeric separation of (±)-methyl-2-methoxy-1-methyl-2,5-cyclohexadiene-1-carboxylate derivatives

J. M. Jordá-Gregori, M. E. González-Rosende, J. Sepúlveda-Arques, R. Galeazzi and M. Orena 1135 Highly regio- and stereoselective iodocyclization of chiral 3-alkoxycarbonyl-4-propenyl-2,2-dimethyl-1,3-oxazolidines: a computational investigation

E. Díez, R. Fernández, E. Martín-Zamora, C. Pareja, A. Prieto and J. M. Lassaletta 1145 Asymmetric synthesis of γ-cyano silyl enol ethers

A. Fadel and L. Vandromme 1153 Total synthesis of (–)-sporochnol A, the fish deterrent, from a chiral malonate

R. Rossi, F. Bellina, M. Biagetti and L. Mannina 1163 Enantioselective synthesis of (*R*)-incrustoporin, an antibiotic isolated from *Incrustoporia carneola*

K. Hiroi, Y. Suzuki and I. Abe 1173 (*S*)-Proline-derived new chiral ligands with phosphino, organosulfur or organoselenenyl functionality as an enantiocontrollable coordinating element

D. O'Hagan and M. Tavasli	1189	A short synthesis of (*S*)-α-(diphenylmethyl)alkyl amines from amino acids
P. Dalla Croce and C. La Rosa	1193	Stereoselective synthesis of *N*-phenylsulfonyl substituted spiro-β-lactams
M. Mahmoudian, A. Lowdon, M. Jones, M. Dawson and C. Wallis	1201	A practical enzymatic procedure for the resolution of *N*-substituted 2-azabicyclo[2.2.1]hept-5-en-3-one
J. Christoffers and U. Rößler	1207	Novel bi- and tridentate phosphane and thioether ligands derived from chiral α-hydroxy acids
	1217	Corrigendum
	A135	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 7

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATION
Y. Suzuki, Y. Ogata and K. Hirol	1219	A new chiral iminophosphine ligand derived from (1*S*,4*S*)-fenchone in palladium-catalyzed asymmetric allylic alkylations
		ARTICLES
E. Narisano and R. Riva	1223	Chemoenzymatic synthesis of 2-substituted 2-fluoro-1,3-dioxygenated chiral building blocks
C. Forzato, P. Nitti, G. Pitacco and E. Valentin	1243	Baker's yeast reduction of cyclic δ-ketoesters: synthesis and chiroptical properties of condensed δ-lactones
X. L. Cui, Y. J. Wu, C. X. Du, L. R. Yang and Y. Zhu	1255	Transmetallation reactions of planar chiral cyclopalladated ferrocenylimines with metallic mercury
N. Ungur, M. Gavagnin, A. Fontana and G. Cimino	1263	Absolute stereochemistry of natural sesquiterpenoid diacylglycerols
S. Keszei, B. Simándi, E. Székely, E. Fogassy, J. Sawinsky and S. Kemény	1275	Supercritical fluid extraction: a novel method for the resolution of tetramisole
S. Lemaire-Audoire and P. Vogel	1283	Total, asymmetric synthesis of ethyl D-*ido*-4-heptulosuronate derivatives starting from diethyl 4-oxopimelate
H. Huang and Q. Chen	1295	A valuable synthetic route to spiro-cyclopropane derivatives containing multiple stereogenic centers
P.-H. Leung, A. Liu and K. F. Mok	1309	A versatile and efficient approach to enantiomerically pure monodentate and bidentate P-chiral phosphines
T. J. Donohoe, C. A. Stevenson, M. Helliwell, R. Irshad and T. Ladduwahetty	1315	The synthesis of (–)-*cis*- and (–)-*trans*-crobarbatic acid
Z. Li, H.-J. Feiten, J. B. van Beilen, W. Duetz and B. Witholt	1323	Preparation of optically active *N*-benzyl-3-hydroxypyrrolidine by enzymatic hydroxylation
D. Haigh, H. C. Birrell, B. C. C. Cantello, R. M. Hindley, A. Ramaswamy, H. K. Rami and N. C. Stevens	1335	Non-thiazolidinedione antihyperglycaemic agents. Part 4: Synthesis of (±)-, (*R*)-(+)- and (*S*)-(–)-enantiomers of 2-oxy-3-arylpropanoic acids
D. Haigh, H. C. Birrell, B. C. C. Cantello, D. S. Eggleston, R. C. Haltiwanger, R. M. Hindley, A. Ramaswamy and N. C. Stevens	1353	Non-thiazolidinedione antihyperglycaemic agents. Part 5: Asymmetric aldol synthesis of (*S*)-(–)-2-oxy-3-arylpropanoic acids

P. Bertus, P. Phansavath, V. Ratovelomanana-Vidal, J.-P. Genêt, A. R. Touati, T. Homri and B. Ben Hassine — 1369 Enantioselective hydrogenation of β-keto sulfones with chiral Ru(II)-catalysts: synthesis of enantiomerically pure butenolides and γ-butyrolactones

I. Philipova, V. Dimitrov and S. Simova — 1381 Synthesis of new enantiopure aminodiols and their use as ligands for the addition of diethylzinc to benzaldehyde

G. Chelucci, S. Gladiali and A. Saba — 1393 Chiral pyridylmethyl- and quinolinyl-oxazolines as ligands for enantioselective palladium-catalyzed allylic alkylation

B. H. Hoff and T. Anthonsen — 1401 Lipase-catalyzed resolution of esters of 4-chloro-3-hydroxybutanoic acid: effects of the alkoxy group and solvent on the enantiomeric ratio

B. Kaptein, H. Elsenberg, A. J. Minnaard, Q. B. Broxterman, L. A. Hulshof, J. Koek and T. R. Vries — 1413 Asymmetric borane reduction using mixtures of homochiral amino alcohol ligands

1419 Erratum

A171 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 8

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

A. W. M. Lee, W. H. Chan, W. H. Yuen, P. F. Xia and W. Y. Wong — 1421 Ruthenium catalyzed asymmetric dihydroxylation with sultams as chiral auxiliaries

S. Borns, R. Kadyrov, D. Heller, W. Baumann, J. Holz and A. Börner — 1425 Counter-ligand and solvent dependent oxygen–metal interactions of hemilabile coordinating hydroxy groups in chiral diphosphine rhodium(I) hydrogenation catalysts

Y. Song, J. J. Vittal, N. Srinivasan, S.-H. Chan and P.-H. Leung — 1433 Synthesis and anti-cancer activities of a pair of enantiomeric gold(I) complexes containing sulfanyl-substituted P-stereogenic phosphines

T. Mansikka, V. Nevalainen, I. Simpura, J. Kokkonen and R. Kostiainen — 1437 A study on the formation of *N*-tosyl-1,3,2-oxazaborolidin-5-one by electrospray mass spectrometry

S.-K. Chung and J.-M. Lee — 1441 Stereoselective synthesis of β-amino alcohols: practical preparation of all four stereomers of *N*-PMB-protected sphingosine from L- and D-serine

E. Bandini, G. Martelli, G. Spunta, A. Bongini, M. Panunzio and G. Piersanti — 1445 Stereoselective synthesis of chiral 3,4,5-trisubstituted 1,5-dihydropyrrol-2-ones from azadienes

ARTICLES

P. Portonovo, B. Liang and M. M. Joullié — 1451 A practical stereoselective synthesis of (2*R*,3*S*)-alloisoleucine

G. Chelucci, S. P. Deriu, A. Saba and R. Valenti — 1457 Remote electronic control of the ligand in the enantioselective palladium-catalyzed allylic alkylation with chiral oxazolinylpyridines

R. Wu, J. D. Odom, R. B. Dunlap and L. A. Silks III — 1465 Reaction of alcohols (via the Mitsunobu reaction) and alkyl halides with chiral selone derivatizing agents

L. Salles, A. F. Nixon, N. C. Russell, R. Clarke, P. Pogorzelec and D. J. Cole-Hamilton — 1471 Diastereoselective ring opening of limonene oxide with water catalysed by β-ketophosphonate complexes of molybdenum(VI)

M. Shiozaki — 1477 Synthesis of 4′,8-dihydroxyisoflavon-7-yl α-D-arabinofuranoside

V. V. Dunina, L. G. Kuz'mina, M. Yu. Rubina, Yu. K. Grishin, Yu. A. Veits and E. I. Kazakova 1483 A resolution of the monodentate P*-chiral phosphine PBu^t(Ph)C_6H_4Br-4 and its NMR-deduced absolute configuration

A. García Martínez, E. Teso Vilar, A. García Fraile, P. Martínez Ruiz, R. Macías San Antonio and M. P. Martínez Alcázar 1499 On the mechanism of the Leuckart reaction. Enantiospecific preparation of (1*R*,2*R*)- and (1*S*,2*S*)-*N*-(3,3-dimethyl-2-formylamino-1-norbornyl)acetamide

J. Frelek and W. J. Szczepek 1507 $[Rh_2(OCOCF_3)_4]$ as an auxiliary chromophore in chiroptical studies on steroidal alcohols

K. Fukatsu, N. Fujii and S. Ohkawa 1521 Synthesis of TAK-218 using (*R*)-2-methylglycidyl tosylate as a chiral building block

M. del Rosario Rico Ferreira, J. I. Martín Hernando, J. I. Candela Lena, J. Quílez del Moral and S. Arseniyadis 1527 Modified steroids: $Pb(OAc)_4$ mediated one-pot multistage transformations of steroidal unsaturated 1,2-diols

R. Dunkel, J. Treu and H. M. R. Hoffmann 1539 Synthesis of the C29–C37 segment of spongistatin 1

C. L. Gibson 1551 An L-proline-based β-amino tertiary thiol: synthesis and use as a catalyst in the enantioselective addition of diethylzinc to aldehydes

S. Bruns and G. Haufe 1563 Catalytic asymmetric ring opening of epoxides to chlorohydrins with mild chloride donors and enantiopure titanium complexes

B. A. Kulkarni, S. Sankaranarayanan, A. S. Subbaraman and S. Chattopadhyay 1571 Synthesis of racemic and each enantiomer of 3-methylnonacosanol, a new plant growth regulator from *Lowsonia inermis*

P. Bataille, M. Paterne and E. Brown 1579 Further enantioselective syntheses of α-arylalkanamines via intermediate addition of Grignard reagents to a chiral hydrazone derived from (*R*)-(–)-2-aminobutan-1-ol

A. Przeździecka, W. Stepanenko and J. Wicha 1589 Catalytic enantioselective annulation using phenylsulfanylmethyl vinyl ketone. An approach to *trans*-hydrindane building blocks for *ent*-vitamin D_3 synthesis

M. Cornia, S. Capacchi, M. Belicchi Ferrari, P. Tarasconi, R. Albertini and S. Pinelli 1599 Synthesis and functionalization of chiral superstructured porphyrins

J. Marcus, G. W. M. Vandermeulen, J. Brussee and A. van der Gen 1617 Diastereoselective addition of HCN to Garner's aldehyde

1623 Corrigendum

1625 Erratum

A203 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 9

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

M. Wieser, H. Furukawa, H. Morita, T. Yoshida and T. Nagasawa 1627 Synthesis of (*S*)-1-(4-hydroxyphenyl)alcohols by eugenol dehydrogenase from *Pseudomonas fluorescens* E118

D. Rajagopal, M. S. Moni, S. Subramanian and S. Swaminathan 1631 Proline mediated asymmetric ketol cyclization: a template reaction

N. Ungur, M. Gavagnin, E. Mollo and G. Cimino	1635	Absolute stereochemistry of anisodorin 5
J. G. Urones, N. M. Garrido, D. Díez, S. H. Dominguez and S. G. Davies	1637	Conjugate addition to (α,β)(α′,β′)-diendioate esters by lithium (α-methylbenzyl)benzylamide: tandem addition–cyclisation versus double addition
F. T. Zimmermann, A. Schneider, U. Schörken, G. A. Sprenger and W.-D. Fessner	1643	Efficient multi-enzymatic synthesis of D-xylulose 5-phosphate
S. Bastin, N. Delebecque, F. Agbossou, J. Brocard and L. Pélinski	1647	Synthesis of C_2-symmetrical 1,1′-disubstituted ferrocenyl amino alcohols and use in catalytic asymmetric addition of diethylzinc to benzaldehyde
		ARTICLES
S. Sengupta, D. Sen Sarma and D. Das	1653	Stereoselective reduction of *N*-phthaloyl α-amino ketones: an expeditious new synthesis of non-racemic *threo*-α-amino epoxides
P. G. Potvin and B. G. Fieldhouse	1661	On the structure of the Kagan–Modena catalysts for asymmetric oxidation of sulfides
M. Shi and J.-K. Jiang	1673	Chiral C_2-symmetric 2,4-disubstituted azetidines as chiral ligands in the addition of diethylzinc to aldehydes
T. Zelinski, A. Liese, C. Wandrey and M.-R. Kula	1681	Asymmetric reductions in aqueous media: enzymatic synthesis in cyclodextrin containing buffers
K. Fujita, W.-H. Chen, D.-Q. Yuan, Y. Nogami, T. Koga, T. Fujioka, K. Mihashi, S. Immel and F. W. Lichtenthaler	1689	Guest-induced conformational change in a flexible host: mono-*altro*-β-cyclodextrin
S. Li, J. Pang, W. K. Wilson and G. J. Schroepfer Jr.	1697	A new approach to the stereoselective total synthesis of isotopically labeled D-*ribo*-phytosphingosine
F. Hammerschmidt and F. Wuggenig	1709	Enzymes in organic chemistry. Part 9: Chemo-enzymatic synthesis of phosphonic acid analogues of L-valine, L-leucine, L-isoleucine, L-methionine and L-α-aminobutyric acid of high enantiomeric excess
Y. N. Belokon', K. A. Kochetkov, T. D. Churkina, N. S. Ikonnikov, S. Vyskocil and H. B. Kagan	1723	Enantiomerically enriched (*R*)- and (*S*)-α-methylphenylalanine via asymmetric PTC *C*-alkylation catalysed by NOBIN
O. I. Kolodiazhnyi, O. M. Demchuk and A. A. Gerschkovich	1729	Application of the dimenthyl chlorophosphite for the chiral analysis of amines, amino acids and peptides
A. L. Braga, H. R. Appelt, P. H. Schneider, C. C. Silveira and L. A. Wessjohann	1733	A new functionalized, chiral disulfide derived from L-cysteine: (*R*,*R*)-bis[(3-benzyloxazolan-4-yl)-methane] disulfide as a catalyst in the diethylzinc addition to aldehydes
M. A. Wegman, M. A. P. J. Hacking, J. Rops, P. Pereira, F. van Rantwijk and R. A. Sheldon	1739	Dynamic kinetic resolution of phenylglycine esters via lipase-catalysed ammonolysis
A. T. Carmona, P. Borrachero, F. Cabrera-Escribano, Mª J. Diánez, Mª D. Estrada, A. López-Castro, R. Ojeda, M. Gómez-Guillén and S. Pérez-Garrido	1751	Branched-chain fluoro nitro D- and L-sugars from glucose
F. Effenberger and S. Gaupp	1765	Stereoselective substitution of (*R*)-2-(sulfonyloxy)nitriles with sulfur nucleophiles
S. Gaupp and F. Effenberger	1777	Stereoselective follow-up reactions of (*S*)-2-sulfanyl nitriles
T. Takemoto, K. Nakajima, Y. Iio, M. Tamura and T. Nishi	1787	Asymmetric synthesis of enantiomerically pure spiro[((2*S*)-hydroxy)indane-1,4′-piperidine]
S. Lee, S. H. Lee, C. E. Song and B. Y. Chung	1795	Novel phosphinobioxazines as chiral ligands in palladium-catalyzed enantioselective allylic substitution
M. Quirmbach, A. Kless, J. Holz, V. Tararov and A. Börner	1803	Construction of chiral Ti(IV)–Rh(I)–salenophos complexes and their application in the asymmetric hydroformylation of functionalised olefins
M. L. Tommasino, C. Thomazeau, F. Touchard and M. Lemaire	1813	Cationic complexes with chiral diamine or dithiourea ligands as catalysts for molecular asymmetric hydrogenation

B.-V. Nguyen and E. Hedenström	1821	*Candida rugosa* lipase as an enantioselective catalyst in the esterification of methyl branched carboxylic acids: resolution of *rac*-3,7-dimethyl-6-octenoic acid (citronellic acid)
	1827	Corrigenda
	A229	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 10

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
C. G. Frost and P. Mendonça	1831	Palladium catalysed mono-*N*-arylation of enantiopure diamines
O. Delacroix, S. Picart-Goetgheluck, L. Maciejewski and J. Brocard	1835	Diastereospecific oxidation of ferrocenyl aminoalcohols: synthesis of new chiral ligands
M. Lotz, T. Ireland, J. J. Almena Perea and P. Knochel	1839	Stereoselective substitution of α-aminoalkylferrocenes with diorganozincs. A fast synthesis of new chiral FERRIPHOS ligands for asymmetric catalysis
B. T. Cho and Y. S. Chun	1843	A practical method for synthesis of terminal 1,2-diols in high enantiomeric excess via oxazaborolidine-catalyzed asymmetric reduction
D. M. Hodgson, C. R. Maxwell and I. R. Matthews	1847	Asymmetric rearrangement of *N*-Boc 7-azanorbornene oxide: use of aryllithiums for enantioselective deprotonation
A. Giordano, A. Spinella and G. Sodano	1851	Stereoselective synthesis of 4-amino-3-hydroxy-2-methylpentanoic acids: stereochemistry of the amino acid occurring in the marine toxin janolusimide
M. P. Watterson, L. Pickering, M. D. Smith, S. J. Hudson, P. R. Marsh, J. E. Mordaunt, D. J. Watkin, C. J Newman and G. W. J. Fleet	1855	3-Azidotetrahydrofuran-2-carboxylates: monomers for five-ring templated β-amino acid foldamers?
P. Merino, S. Franco, J. M. Gascon, F. L. Merchan and T. Tejero	1861	Stereochemistry of α-(*tert*-butoxycarbonylamino)hydroxylamines: ^{1}H NMR analysis of hydroxylamines derived from 2-pyrrolidinyl nitrones
P. Merino, S. Franco, J. M. Gascon, F. L. Merchan and T. Tejero	1867	Highly diastereoselective nucleophilic addition of organometallic reagents to 2-pyrrolidinyl nitrones: a semiempirical approach
M. Petrolìagi and O. Igglessi-Markopoulou	1873	Synthesis and enantiomeric excess measurements of optically active *N*-acetyl tetramic acids
		ARTICLES
J. Lan, J. Li, Z. Liu, Y. Li and A. S. C. Chan	1877	The first total synthesis of (–)-sinulariol-B and three other cembranoids
C.-C. Lin, C.-W. Lin and A. S. C. Chan	1887	Catalytic hydrogenation of itaconic acid in a biotinylated Pyrphos–rhodium(I) system in a protein cavity
G. Wang and R. I. Hollingsworth	1895	Synthetic routes to L-carnitine and L-gamma-amino-beta-hydroxybutyric acid from (*S*)-3-hydroxybutyrolactone by functional group priority switching
S.-W. Park, J.-H. Son, S.-G. Kim and K. H. Ahn	1903	Ru(II)-catalyzed asymmetric cyclopropanation using chiral diphenylphosphino(oxazolinyl)quinoline ligands
L. Di Nunno, C. Franchini, A. Nacci, A. Scilimati and M. S. Sinicropi	1913	Baker's yeast-induced asymmetric reduction of α-ketosulfides: synthesis of optically active 1-(benzothiazol-2-ylsulfanyl)-2-alkanols, 2-alkanols, and thiiranes
G. Laval, G. Audran, S. Sanchez and H. Monti	1927	Enantiospecific total synthesis of both enantiomers of laurene by a chemical diastereoselection/lipase-catalyzed kinetic resolution sequence

D. Kontrec, V. Vinković, A. Lesac, V. Šunjić and M. Hollòsi	1935	Chiroptical and conformational properties of (*R*)-1-phenylethylamine derivatives of persubstituted benzene
J. L. Vicario, D. Badía, E. Domínguez, A. Crespo and L. Carrillo	1947	The first stereocontrolled synthesis of 12-methylhexahydrobenzo[*c*]phenanthridine alkaloids
A. B. Charette and A. Gagnon	1961	Stereoselective synthesis of α,α-disubstituted amines by a sequential nucleophilic addition to *O*-protected cyanohydrins
A. Luna, A. Maestro, C. Astorga and V. Gotor	1969	Enzymatic resolution of (±)-*cis*- and (±)-*trans*-1-aminoindan-2-ol and (±)-*cis*- and (±)-*trans*-2-aminoindan-1-ol
J.-M. Brunel, O. Legrand and G. Buono	1979	Enantioselective trimethylsilylcyanation of aromatic aldehydes catalyzed by titanium alkoxide–chiral *o*-hydroxyarylphosphine oxides complexes
E. Forró and F. Fülöp	1985	Enzymatic resolution of 2-dialkylaminomethylcyclopentanols and -cycloheptanols
T. Gérczei, Z. Böcskei, G. M. Keserű, E. Samu and P. Huszthy	1995	Enantiomeric recognition of α-(1-naphthyl)ethylammonium perchlorate by enantiomerically pure dimethylphenazino-18-crown-6 ligand in solid and gas phases
O. Pàmies, G. Net, A. Ruiz and C. Claver	2007	Enantioselective copper-catalysed 1,4-addition of diethylzinc to cyclohexenone using chiral diphosphite ligands
C. Thominiaux, S. Roussé, D. Desmaële, J. d'Angelo and C. Riche	2015	Nitroalkenes as electrophiles in the asymmetric Michael reaction involving chiral imines/enamino esters
A. Lattanzi, F. Sagulo and A. Scettri	2023	Diastereoselective synthesis of enantiopure 5-[2-(alkoxyalkyl)-1-(hydroperoxypropyl)]-3-alkoxycarbonyl-2-alkyl furans
A. E. Wróblewski and D. G. Piotrowska	2037	Enantiomeric phosphonate analogs of the paclitaxel C-13 side chain
	A255	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 11

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 42
M. J. Palmer and M. Wills	2045	Asymmetric transfer hydrogenation of C=O and C=N bonds
		COMMUNICATIONS
R. Corradini, G. Di Silvestro, S. Sforza, G. Palla, A. Dossena, P. E. Nielsen and R. Marchelli	2063	Direct enantiomeric separation of *N*-aminoethylamino acids: determination of the enantiomeric excess of chiral peptide nucleic acids (PNAs) by GC
B. H. Novak and T. Hudlicky	2067	New arene *cis*-dihydrodiol metabolites from β-bromostyrenes
M. Shi, G.-X. Lei and Y. Masaki	2071	Two novel chiral rhodium complexes as catalysts for the enantioselective allylation of arylaldehydes
M. Watanabe, S. Kuwahara, N. Harada, M. Koizumi and T. Ohkuma	2075	Enantioresolution by the chiral phthalic acid method: absolute configurations of (2-methylphenyl)phenylmethanol and related compounds
		ARTICLES
A. Gong, W. Liu, Y. Chen, X. Zhang, C. Chen and F. Xi	2079	Optically active cyclic and linear poly(aryl esters) based on chiral 1,1′-bi-2-naphthol
Z. Köntös, P. Huszthy, J. S. Bradshaw and R. M. Izatt	2087	Enantioseparation of racemic organic ammonium perchlorates by a silica gel bound optically active di-*tert*-butylpyridino-18-crown-6 ligand

A. Czapla, A. Chajewski, K. Kiegiel, T. Bauer, Z. Wielogorski, Z. Urbanczyk-Lipkowska and J. Jurczak	2101	The asymmetric hetero-Diels–Alder reaction and addition of allylic organometallics to 10-*N*,*N*-dicyclohexylsulphamoyl-(2*R*)-isobornyl glyoxylate
P. Resende, W. P. Almeida and F. Coelho	2113	An efficient synthesis of (*R*)-(–)-baclofen
Z. J. Liu, M. Zhou, J. M. Min and L. H. Zhang	2119	Syntheses of 5′-*O*-glycosylnucleosides
M. T. Reetz and A. Gosberg	2129	New non-C_2-symmetric phosphine-phosphonites as ligands in asymmetric metal catalysis
D. R. Deardorff, R. B. Amador, J. W. Morton, H. Y. Kim, C. M. Taniguchi, A. A. Balbuena, S. A. Warren, V. Fanous and S. W. T. Choe	2139	Chiral induction in cyclopentyl-derived 1,3-*meso*-diesters: enantioselective hydrolyses with electric eel acetylcholinesterase
C. Niederalt, S. Grimme, S. D. Peyerimhoff, A. Sobanski, F. Vögtle, M. Lutz, A. L. Spek, M. J. van Eis, W. H. de Wolf and F. Bickelhaupt	2153	Chiroptical properties of 12,15-dichloro[3.0]orthometacyclophane—correlations between molecular structure and circular dichroism spectra of a biphenylophane
T. Faitg, J. Soulié, J.-Y. Lallemand and L. Ricard	2165	General access to polyhydroxylated nortropane derivatives through hetero Diels–Alder cycloadditions. Part 3: Synthesis of natural (+)-calystegine B_2
M. R. Caira, R. Hunter, L. R. Nassimbeni and A. T. Stevens	2175	Resolution of albuterol acetonide
P. Di Felice, G. Porzi and S. Sandri	2191	A new stereoselective approach to β-hydroxy-α-aminoacids and dipeptides
G. Broggini, L. Garanti, G. Molteni, T. Pilati, A. Ponti and G. Zecchi	2203	Stereoselective intramolecular cycloadditions of homochiral nitrile imines: synthesis of enantiomerically pure 3,3a-dihydro-pyrazolo[1,5-*a*][1,4]benzodiazepine-6(4*H*)-ones
P. Besse, S. Ciblat, J.-L. Canet, Y. Troin and H. Veschambre	2213	Stereoselective chemoenzymatic synthesis of both enantiomers of protected 4-amino-2-pentanone
S. Ciblat, P. Besse, J.-L. Canet, Y. Troin, H. Veschambre and J. Gelas	2225	A practical asymmetric synthesis of 2,6-*cis*-disubstituted piperidines
O. Arjona, F. Iradier, R. Medel and J. Plumet	2237	Enantioselective synthesis of (+)-5,6-*exo*-(isopropylidendioxy)-2-phenylsulfonyl-7-oxabicyclo[2.2.1]hept-2-ene
	2243	Corrigendum
	A299	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 12

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		TETRAHEDRON: ASYMMETRY REPORT NUMBER 43
C. Nájera and M. Yus	2245	Pyroglutamic acid: a versatile building block in asymmetric synthesis
		COMMUNICATIONS
H. B. Mereyala and R. R. Gadikota	2305	A concise synthesis of harzialactone A from D-glucose and revision of absolute stereochemistry
M. Periasamy, C. R. Ramanathan and N. S. Kumar	2307	Resolution of *trans*-(±)-2-(pyrrolidinyl)cyclohexanol and its methyl ether using boric acid and chiral 1,1′-bi-2-naphthol

ARTICLES

C. Yang, L. Liao, Y. Xu, H. Zhang, P. Xia and W. Zhou 2311 New concise asymmetric total synthesis of (+)-desoxoprosophylline and prosophylline

X.-L. Hou, B.-F. Li and L.-X. Dai 2319 Synthesis of novel and enantiomerically pure epoxypropylamine: a divergent route to the chiral β-adrenergic blocking agents

H.-J. Ha, Y.-G. Ahn and G. S. Lee 2327 Asymmetric synthesis of 3-amino-2-hydroxy-4-phenylbutanoate

J. Oshida, M. Okamoto and S. Azuma 2337 Chemoenzymatic synthesis of 1α,24(*R*)-dihydroxycholesterol

A. Martín, T. D. Butters and G. W. J. Fleet 2343 Synthesis and biological evaluation of enantiomeric rhamnose analogues of the antitumour agent spicamycin—is the mode of action by modification of N-linked glycoproteins?

P. Davoli, A. Forni, C. Franciosi, I. Moretti and F. Prati 2361 Stereoselective synthesis of fluorinated β-aminoacids from ethyl *trans*-*N*-benzyl-3-trifluoromethylaziridine-2-carboxylate

P. Bakó, T. Novák, K. Ludányi, B. Pete, L. Tőke and G. Keglevich 2373 D-Glucose-based azacrown ethers with a phosphonoalkyl side chain: application as enantioselective phase transfer catalysts

H. B. Jannet, A. Al Mourabit, A. Gateau-Olesker, C. Marazano and Z. Mighri 2381 Enantioselective synthesis of natural biologically active ivaide A: 1,3-di-(*R*)-β-hydroxy-glyceride glycerol

S. Collina, F. Benevelli, D. Vercesi and V. Ghislandi 2387 On the enantiomers of 2-dimethylamino-3-pentanone, key intermediates in the synthesis of analgesic alkylaminoalkylnaphthalenes

J. Quirante, M. Torra, F. Diaba, C. Escolano and J. Bonjoch 2399 Synthesis of enantiopure 2-azabicyclo[3.3.1]nonanes by a radical ring closure

O. Loog and U. Mäeorg 2411 Selfcondensation of 2-methylpropanal with homochiral BINOL catalysts as a model asymmetric aldol–Tishchenko reaction

U. Iserloh, D. P. Curran and S. Kanemasa 2417 Enantioselective conjugate radical addition reactions mediated by chiral Lewis acid complexes of (*R*,*R*)-4,6-dibenzofurandiyl-2,2′-bis(4-phenyl-oxazoline) (DBFOX/Ph)

H. Akita, K. Kurashima, T. Nakamura and K. Kato 2429 Chemoenzymatic syntheses of naturally occurring β-glucosides

A323 Stereochemistry abstracts

I Tetrahedron: *Asymmetry* reports

III Instructions to contributors

IX Cumulative author index

NUMBER 13

Contents

v Contributors to this issue

vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 44

E. Juaristi, J. L. León-Romo, A. Reyes and J. Escalante 2441 Recent applications of α-phenylethylamine (α-PEA) in the preparation of enantiopure compounds. Part 3: α-PEA as chiral auxiliary. Part 4: α-PEA as chiral reagent in the stereodifferentiation of prochiral substrates

COMMUNICATIONS

P. Ferraboschi, F. Pecora, S. Reza-Elahi and E. Santaniello 2497 Chemoenzymatic syntheses of (25*R*)- and (25*S*)-25-hydroxy-27-norcholesterol, a steroid bearing a secondary hydroxy group in the side chain

A. T. Anilkumar, K. Goto, T. Takahashi, K. Ishizaki and H. Kaga 2501 Lipase-mediated resolution of *cis*-1-amino-2-indanol, the key component of the HIV protease inhibitor indinavir

I. Michieletto, F. Fabris and O. De Lucchi 2505 Diastereoselective *cis* to *trans* desymmetrization of dimethyl succinates

A. Böhme and H.-J. Gais 2511 Palladium(0) catalyzed enantioselective rearrangement of *O*-allylic thiocarbamates to *S*-allylic thiocarbamates: asymmetric synthesis of allylic thiols

ARTICLES

I. Alfonso, C. Astorga, F. Rebolledo and V. Gotor 2515 Optically active tetraazamacrocycles analogous to cyclam

J. Kang, H. Y. Kim and J. H. Kim 2523 Synthesis of chiral plane-extended pyridyl alcohols for the enantioselective addition of diethylzinc to aldehydes

S. E. Boiadjiev and D. A. Lightner 2535 Intramolecular hydrogen bonding and its influence on conformation. Circular dichroism of chiral bilirubin analogs

S.-K. Tian, Z.-M. Wang, J.-K. Jiang and M. Shi 2551 Stereocontrolled construction of the *trans*-tetrahydrofuran units in Annonaceous acetogenins

K. Khumtaveeporn, G. DeSantis and J. B. Jones 2563 Expanded structural and stereospecificity in peptide synthesis with chemically modified mutants of subtilisin

Sz. Gedey, A. Liljeblad, F. Fülöp and L. T. Kanerva 2573 Sequential resolution of ethyl 3-aminobutyrate with carboxylic acid esters by *Candida antarctica* lipase B

T. Katagiri, M. Irie and K. Uneyama 2583 Intramolecular S_N2 reaction α- to a trifluoromethyl group: preparation of 1-cyano-2-trifluoromethylcyclopropane

T. Połoński, M. J. Milewska, A. Konitz and M. Gdaniec 2591 Conformational properties and chiroptical spectra of lactams and thiolactams with 2-azabicyclo[2.2.1]heptane, 2- and 3-azabicyclo[3.2.1]octane skeletons

S. Karlsson, F. Han, H.-E. Högberg and P. Caldirola 2605 *trans*-3,4-Disubstituted pyrrolidines by 1,3-dipolar cycloaddition: enantioselective approaches and their limitations

J. Garcia, M. López and J. Romeu 2617 Enantioselective synthesis of (3*R*,4*E*)-19-methylicos-4-en-1-yn-3-ol, a bioactive metabolite of the marine sponge *Cribrochalina vasculum*

S. A. Said and A. Fiksdahl 2627 Preparation and nucleophilic substitution of the *N,N*-1,2-naphthalenedisulfonylimide derivative of a chiral amine

A349 Stereochemistry abstracts

I Instructions to contributors

V Cumulative author index

NUMBER 14

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

H. K. Weber, H. Weber and R. J. Kazlauskas 2635 'Watching' lipase-catalyzed acylations using ^{1}H NMR: competing hydrolysis of vinyl acetate in dry organic solvents

P. Ferraboschi, S. Reza-Elahi, E. Verza and E. Santaniello 2639 Baker's yeast mediated biohydrogenation of unsaturated compounds containing a methylene group: enantioselective preparation of 2-methyl alkanols from 2-substituted acrolein acetals

J. Cuesta, G. Arsequell, G. Valencia and A. González 2643 Photochemical desulfurization of thiols and disulfides

M. Gavagnin, A. De Napoli, G. Cimino, K. Iken, C. Avila and F. J. Garcia 2647 Absolute configuration of diterpenoid diacylglycerols from the Antarctic nudibranch *Austrodoris kerguelenensis*

A. Patti and G. Nicolosi 2651 Kinetic resolution of 1,2-dihydroxy-3-ferrocenylpropane by sequential lipase-catalysed esterification

ARTICLES

S. R. Anderson, J. T. Ayers, K. M. DeVries, F. Ito, D. Mendenhall and B. C. Vanderplas 2655 The preparation of β-substituted amines from mixtures of epoxide opening products via a common aziridinium ion intermediate

A. Klose and J. A. Gladysz 2665 Synthesis, properties, and reactions of enantiomerically pure, chiral fluorous phosphines of the formula (menthyl)$P(CH_2CH_2(CF_2)_{n-1}CF_3)_2$ (n=6, 8)

Q. Li, H. Li, M.-S. Cai, Z.-J. Li and R.-L. Zhou	2675	Studies on carbohydrates. Part 33: Synthesis of spacer-armed 2-acetamido-2-deoxy-4-*O*-β-D-galactopyranosyl-α-D-mannosides and their dimers
X. Hu, J. He, A. S. C. Chan, X. Han and J.-P. Cheng	2685	New chiral macrocyclic ligands. Design and synthesis of (*R*)-cysteine-containing calix[4]arenes
V. N. Charushin, V. P. Krasnov, G. L. Levit, M. A. Korolyova, M. I. Kodess, O. N. Chupakhin, M. H. Kim, H. S. Lee, Y. J. Park and K.-C. Kim	2691	Kinetic resolution of (±)-2,3-dihydro-3-methyl-4*H*-1,4-benzoxazines with (*S*)-naproxen
T. Honda, T. Koizumi, Y. Komatsuzaki, R. Yamashita, K. Kanai and H. Nagase	2703	Chemoenzymatic synthesis of an α-substituted serine derivative
S. Drioli, P. Nitti, G. Pitacco, L. Tossut and E. Valentin	2713	Enantiomerically pure tetrahydro-5-oxo-2-furancarboxylic esters from dialkyl 2-oxoglutarates
M. C. R. Franssen, H. Jongejan, H. Kooijman, A. L. Spek, R. P. L. Bell, J. B. P. A. Wijnberg and A. de Groot	2729	Lipase-mediated resolution of octahydro-3,3,8a-trimethyl-1-naphthalenol, a key intermediate in the total synthesis of lactaranes and marasmanes
G. Solladié, N. Gehrold and J. Maignan	2739	Synthesis of (+)-(*R*)-5-hydroxy-6-hydroxymethyl-7-methoxy-8-methylflavanone
W. Adam, C. R. Saha-Möller and C.-G. Zhao	2749	Asymmetric epoxidation of olefins by chiral dioxiranes generated in situ from ketones of D-(–)-quinic acid
J. Drabowicz, P. Łyżwa, J. Omelańczuk, K. M. Pietrusiewicz and M. Mikołajczyk	2757	New procedures for the resolution of chiral *tert*-butylphenylphosphine oxide and some of its reactions
G. Barbaro, A. Battaglia, F. Di Giuseppe, P. Giorgianni, A. Guerrini, C. Bertucci and S. Geremia	2765	New efficient synthesis of (3*R*,4*S*)-3-methyl-3-hydroxy-4-phenyl-β-lactam
E. Samu, P. Huszthy, L. Somogyi and M. Hollósi	2775	Enantiomerically pure chiral phenazino-crown ethers: synthesis, preliminary circular dichroism spectroscopic studies and complexes with the enantiomers of 1-arethyl ammonium salts
M. McCarthy, R. Goddard and P. J. Guiry	2797	The preparation and resolution of 2-phenyl-Quinazolinap, a new atropisomeric phosphinamine ligand for asymmetric catalysis
J. Frelek	2809	Configurational assignment of *vic*-amino alcohols from their circular dichroism spectra with dirhodium tetraacetate as an auxiliary chromophore
J. Roos and F. Effenberger	2817	Hydroxynitrile lyase catalyzed enantioselective HCN addition to *O*-protected α-hydroxyaldehydes
	A369	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 15

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATION
J. C. Anderson, R. J. Cubbon and J. D. Harling	2829	Dramatic reversal of enantioselection in a palladium catalysed allylic substitution by choice of nitrogen substituents in a N–P chiral ligand
		ARTICLES
H. L. Holland, P. R. Andreana and F. M. Brown	2833	Biocatalytic and chemical routes to all the stereoisomers of methionine and ethionine sulfoxides

R. Imashiro, T. Yamanaka and M. Seki	2845	Catalytic asymmetric synthesis of glycidic amides via chiral sulfur ylides
J. W. Han, H.-Y. Jang and Y. K. Chung	2853	Synthesis and use in palladium-catalyzed asymmetric allylic alkylation of new planar chiral chromium complexes of 1,2-disubstituted arenes having pyridine and aryl phosphine groups
J. H. Lutje Spelberg, J. E. T. van Hylckama Vlieg, T. Bosma, R. M. Kellogg and D. B. Janssen	2863	A tandem enzyme reaction to produce optically active halohydrins, epoxides and diols
S. Kiyooka, M. A. Hena and F. Goto	2871	Enantioselective synthesis of a key intermediate aldehyde toward the polyene macrolide filipin III, based on a chiral oxazaborolidinone-promoted asymmetric aldol reaction
P. H. Buist, B. Behrouzian, K. D. MacIsaac, S. Cassel, P. Rollin, A. Imberty, C. Gautier, S. Pérez and P. Genix	2881	Stereochemical analysis of D-glucopyranosyl-sulfoxides via a combined NMR, molecular modeling and X-ray crystallographic approach
G. Nicolosi, C. Spatafora and C. Tringali	2891	Enzymatic procedure catalysed by lipase from *Candida antarctica* for the regioprotection–deprotection of glucosamine
T. T. Upadhya, S. Gurunath and A. Sudalai	2899	A new and short enantioselective synthesis of (*R*)-pantolactone
P. Spangenberg, V. Chiffoleau-Giraud, C. André, M. Dion and C. Rabiller	2905	Probing the transferase activity of glycosidases by means of in situ NMR spectroscopy
G. Manickam and G. Sundararajan	2913	Asymmetric Diels–Alder and ene reactions promoted by a Ti(IV) complex bearing a C_2-symmetric tridentate ligand
D. R. Kelly	2927	A new method for the determination of the absolute stereochemistry of aromatic and heteroaromatic alkanols using Mosher's esters
J. L. García Ruano, C. García Paredes and C. Hamdouchi	2935	A new stereocontrolled entry into the anthracyclinone families. Part 1: Synthesis of bicyclic precursors of 4-demethoxy-7-deoxy-derivatives
K. Matsuyama and M. Ikunaka	2945	A practical enantioselective synthesis of (*S*)-3-hydroxytetradecanoic acid
T. Hanamoto, N. Shimomoto, T. Kikukawa and J. Inanaga	2951	Efficient synthesis of enantiomerically pure *trans*-2,5-bis(arylethynyl)-pyrrolidines. A new entry into C_2-symmetric chiral secondary amines
G. Delle Monache, D. Misiti and G. Zappia	2961	A stereocontrolled synthesis of (–)-detoxinine from L-ascorbic acid
H. Tsue, H. Fujinami, T. Itakura and K. Hirao	2975	Unexpected racemization behavior of 8,8′-dialkyl-1,1′-biisoquinoline
D. Berger, M. Dubs, A. Göbel, W. Imhof, M. Kötteritzsch, M. Rost and B. Schönecker	2983	Steroid imines as chiral ligands. Diastereoselective formation of (1-aza-diene)$Fe(CO)_3$ complexes by sterically tuning the ligand coordination spheres
D. Buisson and R. Azerad	2997	Preparation and use of (*S*)-*O*-acetyllactyl chloride (Mosandl's reagent) as a chiral derivatizing agent
F. Molinari, R. Villa, F. Aragozzini, R. Leon and D. M. F. Prazeres	3003	Enantioselective oxidation of (*RS*)-2-phenyl-1-propanol to (*S*)-2-phenyl-propanoic acid with *Gluconobacter oxydans*: simplex optimization of the biotransformation
J. G. Fernández-Bolaños, E. Zafra, O. López, I. Robina and J. Fuentes	3011	Stereoselective synthesis of imidazolidine, imidazoline and imidazole *C*- and *N*-pseudonucleosides
G. Bringmann, A. Wuzik, M. Breuning, P. Henschel, K. Peters and E.-M. Peters	3025	Atropo-enantioselective synthesis of an axially chiral C_1-symmetric phosphine ligand and its application in the asymmetric hydrosilylation of styrenes
R. Aav, O. Parve, T. Pehk, A. Claesson and I. Martin	3033	Preparation of highly enantiopure stereoisomers of 1-(2,6-dimethylphenoxy)-2-aminopropane (mexiletine)
D. Hoegaerts and P. A. Jacobs	3039	Asymmetric hydroformylation of vinyl acetate with BINAP–rhodium(I) complexes

A393 Stereochemistry abstracts
I Instructions to contributors
VII Cumulative author index

NUMBER 16

Contents

v Contributors to this issue
vii Graphical abstracts

TETRAHEDRON: ASYMMETRY REPORT NUMBER 45

G. Arsequell and G. Valencia 3045 Recent advances in the synthesis of complex *N*-glycopeptides

COMMUNICATIONS

H. Matsunaga, Y. Yamada, T. Ide, T. Ishizuka and T. Kunieda 3095 Reversal of enantioselection in an aldol reaction catalyzed by sterically congested bis(oxazoline)–Cu(II) complexes

M. M. Allan, P. D. Ramsden, M. J. Burke, M. Parvez and B. A. Keay 3099 Reassignment of the absolute configuration of the baker's yeast reduction of (±)-ethyl 1-allyl-2-oxocyclopentanecarboxylate

S. V. Pansare, R. P. Jain and R. G. Ravi 3103 Asymmetric synthesis of α-alkyl-α-hydroxy-γ-butyrolactones

M. Adamczyk, S. R. Akireddy and R. E. Reddy 3107 Versatile synthesis of (+)-deoxypyridinoline, a biochemical marker for diagnosis of osteoporosis

ARTICLES

M. Prashad, D. Har, O. Repic, T. J. Blacklock and P. Giannousis 3111 An efficient large scale resolution of (±)-*threo*-methylphenidate hydrochloride (Ritalin® hydrochloride)

R. Chênevert, G. Mohammadi Ziarani, M. P. Morin and M. Dasser 3117 Enzymatic desymmetrization of *meso cis*-2,6- and *cis,cis*-2,4,6-substituted piperidines. Chemoenzymatic synthesis of (5*S*,9*S*)-(+)-indolizidine 209D

P. Camps, M. Font-Bardia, S. Giménez, F. Pérez, X. Solans and N. Soldevilla 3123 (*R*)- and (*S*)-3-Hydroxy-4,4-dimethyl-1-phenyl-2-pyrrolidinone as chiral auxiliaries in Diels–Alder reactions

M. Schuster and S. Blechert 3139 Facile approach towards phosphorylated azasugars as potential glycosyl phosphate mimics

V. V. Dunina, E. D. Razmyslova, L. G. Kuz'mina, A. V. Churakov, M. Yu. Rubina and Yu. K. Grishin 3147 Synthesis and resolution of an α-phenyl substituted *ortho*-palladated matrix

M. Adamczyk and R. E. Reddy 3157 Synthesis of immunoreagents for measurement of galactosylhydroxylysine

A. Goswami, M. J. Totleben, A. K. Singh and R. N. Patel 3167 Stereospecific enzymatic hydrolysis of racemic epoxide: a process for making chiral epoxide

J. Drabowicz, B. Bujnicki, P. Biscarini and M. Mikołajczyk 3177 Diastereomeric sulfinates derived from (L)-*N*-methylephedrine: synthesis, applications and rearrangements

H. Miyaoka, Y. Kajiwara, M. Hara, A. Suma and Y. Yamada 3189 Synthesis of optically active 3-alkoxy-6-hydroxymethyl-6-methyl-2-cyclohexenone

O. Dirat, C. Kouklovsky, Y. Langlois, P. Lesot and J. Courtieu 3197 Double diastereoselection in asymmetric [2+3] cycloaddition of chiral oxazoline *N*-oxides: application to the kinetic resolution of a racemic α,β-unsaturated δ-lactone

T. Takeda and T. Imamoto 3209 Syntheses of new C_2-symmetric, optically active 1,2-diols bearing tertiary alkyl groups

R. R. Vargas, E. J. H. Bechara, L. Marzorati and B. Wladislaw 3219 Asymmetric sulfoxidation of a β-carbonyl sulfide series by chloroperoxidase

N. Bellocq, S. Abramson, M. Laspéras, D. Brunel and P. Moreau 3229 Factors affecting the efficiency of hybrid chiral mesoporous silicas used as heterogeneous inorganic–organic catalysts in the enantioselective alkylation of benzaldehyde

K. Fuji, X.-S. Yang, H. Ohnishi, X.-J. Hao, Y. Obata and K. Tanaka — 3243 — A highly efficient method for the resolution of 8,8′-dihydroxy-1,1′-binaphthyl

A419 — Stereochemistry abstracts

I — Instructions to contributors

VII — Cumulative author index

NUMBER 17

Contents

v — Contributors to this issue

vii — Graphical abstracts

COMMUNICATIONS

Y.-C. Wang, C.-L. Li, H.-L. Tseng, S.-C. Chuang and T.-H. Yan — 3249 — An efficient method for the synthesis of enantiopure *cis*-α,β-epoxy acids

B. Malézieux, R. Andrés, M. Gruselle, M.-N. Rager and S. Thorimbert — 3253 — Enantioselective addition of diethylzinc to benzaldehyde catalyzed by ferrocenic amino-alcohols combining centered and planar chiralities

M. F. P. Ma, K. Li, Z. Zhou, C. Tang and A. S. C. Chan — 3259 — New chiral phosphorus catalysts derived from (*S*)-binaphthol for highly enantioselective reduction of acetophenone by borane

K. G. Gunderson, M. J. Shapiro, R. A. Doti and J. W. Skiles — 3263 — Simultaneous determination of enantiomeric purity and *erythro*/*threo* relationship in chiral 1,2-aminoalcohols by NMR using (*R*)-(+)-*t*-butylphenylphosphinothioic acid

A. R. C. Smith, A. J. R. Heck, J. A. Kenny, J. J. Kettenes-van den Bosch and M. Wills — 3267 — Synthesis and electrospray mass spectrometric studies on a chiral, non-racemic, phosphoramide receptor molecule

C. Sanfilippo, A. Patti and G. Nicolosi — 3273 — Enzymatic resolution of (±)-conduritol-B, a key intermediate for the synthesis of glycosidase inhibitors

M. Tichý, T. Kraus, J. Závada, I. Císařová and J. Podlaha — 3277 — Self-assembly of enantiopure 2,2′-dimethylbiphenyl-6,6′-dicarboxylic acid. Formation of chiral squares and their columnar stacking

N. L. Reddy, I. Francesconi and E. M. Bellott — 3281 — A short and efficient asymmetric synthesis of (1*S*,2*R*)-(+)-5-methoxy-1-methyl-2-(di-*n*-propylamino)tetralin hydrochloride (UH-232)

ARTICLES

M. D. Bailey, T. Halmos, D. Adamson, J. Bordeleau and C. Grand-Maître — 3285 — Chemo-enzymatic synthesis of chiral 2-substituted succinic acid derivatives

G. Dyker, B. Hölzer and G. Henkel — 3297 — A chiral bis-*N*-oxide isoelectronic with Jacobsen's salen ligand

P. Q. Huang, X. Zheng, S. L. Wang, J. L. Ye, L. R. Jin and Z. Chen — 3309 — A new approach to (*S*)-4-hydroxy-2-pyrrolidinone and its 3-substituted analogues

M. Shi and W.-S. Sui — 3319 — C_2-Symmetric diphenylphosphoramide and diphenylthiophosphoramide derived from (1*R*,2*R*)-1,2-diaminocyclohexane as ligands for the titanium(IV) alkoxide-promoted addition of diethylzinc to aldehydes

A. L. Botes, C. A. G. M. Weijers, P. J. Botes and M. S. van Dyk — 3327 — Enantioselectivities of yeast epoxide hydrolases for 1,2-epoxides

R. Cea-Olivares, V. García-Montalvo, S. Hernández-Ortega, C. Rodríguez-Narváez, P. García y García, M. López-Cardoso, P. de March, L. González, L. Elías, M. Figueredo and J. Font — 3337 — On the easy oxidation of (*R*)-2-[*N*-(1-phenylethyl)amino]-1-cyclopentene-dithiocarboxylic acid to its disulfide dimer

N. Derrien, C. B. Dousson, S. M. Roberts, U. Berens, M. J. Burk and M. Ohff — 3341 — Asymmetric hydrogenation reactions mediated by a new class of bicyclic bisphosphinites

A. Iuliano, P. Salvadori and G. Félix — 3353 — Synthesis of a new family of four deoxycholic acid derived chiral stationary phases and their evaluation in the HPLC resolution of racemic compounds

X. Cuesta, A. González and J. Bonjoch — 3365 — First stereoselective synthesis of (4a*S*,5*R*)-4,4a,5,6,7,8-hexahydro-4a,5-dimethyl-2(3*H*)-naphthalenone

M. Ziółkowski, Z. Czarnocki, A. Leniewski and J. K. Maurin — 3371 — (*S*)-(–)-α-Methylbenzylamine as an efficient chiral auxiliary in enantiodivergent synthesis of both enantiomers of *N*-acetylcalycotomine

A. Otto, B. Abegaz, B. Ziemer and J. Liebscher — 3381 — Stereoselective synthesis of 3-(ω-hydroxyalkyl)-2-pyrrolidinones from α-alkylidenelactones and nitromethane

J. Riedner, I. Robina, J. G. Fernández-Bolaños, S. Gómez-Bujedo and J. Fuentes — 3391 — Synthesis of five-membered homothiosugars derived from L-erythrose and D-mannose

A. Bernardi, D. Arosio, D. Dellavecchia and F. Micheli — 3403 — Improved synthesis of both enantiomers of *trans*-cyclohex-4-ene-1,2-dicarboxylic acid

M. Kossenjans and J. Martens — 3409 — Highly stereoselective synthesis of 1,3-aminoalcohols via Mannich reactions

X. Serrat, G. Cabarrocas, S. Rafel, M. Ventura, A. Linden and J. M. Villalgordo — 3417 — A highly efficient and straightforward stereoselective synthesis of novel chiral α-acetylenic ketones

O. Arjona, F. Iradier, R. Medel and J. Plumet — 3431 — Enantioselective synthesis of antibiotic (+)-rancinamycin III derivative and two protected carbasugars of the α-D-talo-series from furan

Y. Yamada, E. Shirakawa, K. Ando, S. Shibata and I. Uchida — 3443 — Diastereoselective aldol reactions of an α-alkoxycarbonylamino aldehyde with a silyl enol ether

M. I. Monterde, S. Nazabadioko, F. Rebolledo, R. Brieva and V. Gotor — 3449 — Chemoenzymatic synthesis of azacycloalkan-3-ols

A439 — Stereochemistry abstracts

I — Instructions to contributors

VII — Cumulative author index

NUMBER 18

Contents

v — Contributors to this issue

vii — Graphical abstracts

COMMUNICATIONS

J. Skarżewski, E. Ostrycharz and R. Siedlecka — 3457 — Vanadium catalyzed enantioselective oxidation of sulfides: easy transformation of bis(arylthio)alkanes into C_2 symmetric chiral sulfoxides

R. Caputo, F. Giordano, A. Guaragna, G. Palumbo and S. Pedatella — 3463 — A facile stereospecific synthesis of chiral β-keto sulfoxides

P. Dupau, C. Bruneau and P. H. Dixneuf — 3467 — New route to optically active amine derivatives: ruthenium-catalyzed enantioselective hydrogenation of ene carbamates

S. Blasco, M. C. Carreño, M. B. Cid, J. L. García Ruano and M. R. Martín — 3473 — Direct enantioselective approach to oxazolo[4,5-*e*]isoindoles from [(S)*R*]-1-aminosubstituted-4-(*p*-tolylsulfinyl)-1,3-butadienes

M. Prashad, Y. Liu, H.-Y. Kim, O. Repic and T. J. Blacklock — 3479 — Enantioselective synthesis of (2*S*,2′*R*)-*erythro*-methylphenidate

ARTICLES

A. W. Krebs, B. Thölke, K.-I. Pforr, W. A. König, K. Scharwächter, S. Grimme, F. Vögtle, A. Sobanski, J. Schramm and J. Hormes — 3483 — Synthesis of enantiomerically pure (*E*)-1,1,3,3,6,6-hexamethyl-1-sila-4-cycloheptene and its absolute configuration

E. Juaristi, M. Balderas, H. López-Ruiz, V. M. Jiménez-Pérez, M. L. Kaiser-Carril and Y. Ramírez-Quirós — 3493 — Enantioselective synthesis of β-amino acids. Part 10: Preparation of novel α,α- and β,β-disubstituted β-amino acids from (*S*)-asparagine

L. Salazar, J. L. Bermudez, C. Ramírez, E. F. Llama and J. V. Sinisterra	3507	Resolution of 3-α-naphthoxy-1,2-propanediol using *Candida antarctica* lipase
F. Molinari, R. Gandolfi, R. Villa and E. G. Occhiato	3515	Lyophilised yeasts: easy-to-handle biocatalysts for stereoselective reduction of ketones
J. Růžička, B. Koutek, L. Streinz, D. Šaman and L. Lešetický	3521	A new access to β-methyl substituted secondary alcohols. Application to the synthesis of 4-methylheptan-3-ol
E. Kiljunen and L. T. Kanerva	3529	Novel applications of chloroperoxidase: enantioselective oxidation of racemic epoxyalcohols
G. Chelucci, N. Culeddu, A. Saba and R. Valenti	3537	Enantiomerically pure pyridine and 2,2′-bipyridine thioethers: new N–S chiral ligands for asymmetric catalysis. Palladium-catalyzed allylic alkylation
G. Vidari, A. Di Rosa, G. Zanoni and C. Bicchi	3547	Enantioselective synthesis of each stereoisomer of the pyranoid linalool oxides: the linalool route
A. Scheurer, P. Mosset and R. W. Saalfrank	3559	Syntheses of C_2-symmetric vicinal diamines derived from tartaric acid
L. Banfi, G. Guanti and R. Riva	3571	Synthesis of asymmetrized 2-benzyl-1,3-diaminopropane by a chemo-enzymatic route: a tool for combinatorially developing peptidomimetics
M. C. Maestro, M. C. Barquilla and M. R. Martín	3593	MIRC reactions of 2-bromo-5-(*l*-menthyloxy)furan-2(5*H*)-one with stabilized anions. Preparation of homochiral bicyclic γ-butyrolactones
D. C. Chauret, J. M. Chong and Q. Ye	3601	A route to enantiomerically-enriched α-silyl aldehydes from 2,3-epoxy alcohols
E. Samu, P. Huszthy, G. Horváth, Á. Szöllősy and A. Neszmélyi	3615	Enantiomerically pure chiral pyridino-crown ethers: synthesis and enantioselectivity toward the enantiomers of α-(1-naphthyl)ethylammonium perchlorate
D. R. Kelly and A. K. Mish'al	3627	Synthesis of the first per(3-deoxy)-cyclooligosaccharide: hepta(*manno*-3-deoxy-6-*O*-*t*-butyldimethylsilyl)-β-cyclodextrin
L.-X. Liao, Z.-M. Wang, H.-X. Zhang and W.-S. Zhou	3649	A new concise stereoselective method for the preparation of a β-hydroxy-furfurylamine derivative and synthesis of 1-deoxyazasugar isomers
	A467	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 19

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
M. De Rosa, R. Dell'Aglio, A. Soriente and A. Scettri	3659	Efficient synthesis of chiral non-racemic 6-(furan-3-yl)-5,6-dihydro-pyran-2-ones
G. Sekar, R. M. Kamble and V. K. Singh	3663	Enantiomerically pure *N*-aryl-β-amino alcohols by enzymatic resolution
M. Kamada, T. Satoh, T. Kakuchi and K. Yokota	3667	Asymmetric cyclization of *meso*-diepoxides using chiral (salen)Co(III)OAc catalyst forming optically active 1,4-anhydropentitols and 2,5-anhydrohexitols
G. G. Haraldsson, P. Thordarson, A. Halldorsson and B. Kristinsson	3671	Kinetic resolution of 1-*O*-alkylglycerols by lipase
		ARTICLES
N. W. Fadnavis, S. K. Vadivel and M. Sharfuddin	3675	Chemoenzymatic synthesis of (4*S*,5*R*)-5-hydroxy-γ-decalactone

B. Morgan, B. R. Sarikonda, D. R. Dodds, M. J. Homann and R. Vail	3681	Enzymatic synthesis of enantio- and diastereomerically enriched *syn*-3-nitro-2-pentanol
T. Kato, S. Ebihara, T. Furukawa, H. Tanahashi and M. Hoshikawa	3691	Synthesis of (1*S*,2*R*,12*S*)-2-hydroxy-11-dihydroneocembrene
E. J. Ebbers, G. J. A. Ariaans, A. Bruggink and B. Zwanenburg	3701	Controlled racemization and asymmetric transformation of α-substituted carboxylic acids in the melt
S. Almer, E. Cervelló, C. Jaime and A. Virgili	3719	Preparation of (*R*)- and (*S*)-1-adamantyl-9-anthrylmethanol. Conformational study and their behaviour as chiral solvating agents
Z.-J. Yao, Y. Gao and T. R. Burke Jr.	3727	Preparation of L-N^{α}-Fmoc-4-[di-(*tert*-butyl)phosphonomethyl]phenylalanine from L-tyrosine
A. Santos Ribeiro, A. Kanazawa, D. M. A. F. Navarro, J.-C. Moutet and M. Navarro	3735	Synthesis of (*R*)-(–) and (*S*)-(+)-3-(1-pyrrolyl)propyl-*N*-(3,5-dinitrobenzoyl)-α-phenylglycinate and derivatives. A suitable chiral polymeric phase precursor
M. Jungen and H.-J. Gais	3747	Application of pig liver esterase catalyzed transesterification in organic media to the kinetic resolution of glycerol derivatives
D. S. Im, C. S. Cheong, S. H. Lee, H. Park and B. H. Youn	3759	Enzyme-catalysed improved resolution of (*RS*)-4-cyano-4-(3,4-dimethoxyphenyl)-4-isopropyl-1-butanol
D. H. Kim and S. Chung	3769	Stereochemistry in enzyme inhibition: synthesis and evaluation of enantiomerically pure 2-benzyl-3-formylpropanoic acids as inhibitors of carboxypeptidase A
G. V. M. Sharma, V. G. Reddy and P. R. Krishna	3777	Synthesis of new chiral 18-crown-6 ethers from D-xylose
N. M. Carballeira and R. Colón	3785	The use of (*S*)-(–)-1-(1-naphthyl)ethylamine as a resolving agent for α-methoxy fatty acids
H.-L. Kwong and W.-S. Lee	3791	New chiral 2,2′-bipyridine diols as catalysts for enantioselective addition of diethylzinc to benzaldehyde
G. Chelucci, S. Deriu, G. A. Pinna, A. Saba and R. Valenti	3803	Steric versus electronic effects of the ligand in the enantioselective palladium-catalyzed allylic alkylation with chiral oxazolinylpyridines
H. Kiyota, M. Nakabayashi and T. Oritani	3811	Hydrolase-catalyzed preparation of (*R*)- and (*S*)-4-hydroxy-2,6,6-trimethyl-2-cyclohexen-1-ones (phorenols), the key synthetic intermediates for abscisic acid
T. Tsuji, T. Onishi and K. Sakata	3819	Lipase-catalyzed synthesis of a tri-substituted cyclopropyl chiral synthon: a practical method for preparation of chiral 1-alkoxycarbonyl-2-oxo-3-oxa-bicyclo[3.1.0]hexane
P. Q. Huang, Q. F. Chen, C. L. Chen and H. K. Zhang	3827	Asymmetric synthesis of (–)-(*R*)-pyrrolam A starting from (*S*)-malic acid
D.-J. Cho, S.-J. Jeon, H.-S. Kim, C.-S. Cho, S.-C. Shim and T.-J. Kim	3833	Chiral C_2-symmetric bisferrocenyldiamines as ligands for transition metal catalyzed asymmetric cyclopropanation and aziridination
N. Yoshida, H. Konno, T. Kamikubo, M. Takahashi and K. Ogasawara	3849	Preparation of a synthetic equivalent of chiral methyl 2,5-dihydroxycyclohexane-1,4-dienecarboxylate
	A507	Stereochemistry abstracts
	I	Instructions to contributors
	V	Cumulative author index

NUMBER 20

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

J. Cossy, S. Bouzbouz and J. C. Calile	3859	Enantioselective allyltitanations. Synthesis of optically active 1,2-diol units: useful intermediates for the preparation of biologically active compounds
X. Li, C. Yeung, A. S. C. Chan, D.-S. Lee and T.-K. Yang	3863	An efficient synthesis of chiral homophenylalanine derivatives via enantioselective hydrogenation
A. Fontana, I. Fakhr, E. Mollo and G. Cimino	3869	(–)-Wistarin from the marine sponge *Ircinia* sp.: the first case of enantiomeric sesterterpenes
G. Molteni and T. Pilati	3873	The first example of a (1*R*,2*S*,5*R*)-(–)-menthyl chiral auxiliary in intramolecular nitrilimine cycloadditions: synthesis of enantiopure pyrazolo[1,5-*a*][4,1]benzoxazepines and pyrazolo[1,5-*a*][4,1]benzodiazepines
Ph. Arzel, V. Freida, Ph. Weber and A. Fadel	3877	An easy access to (*S*)-pyrrolidinones and -pyrrolidines from chiral benzylic malonates
D. Pini, A. Mandoli, S. Orlandi and P. Salvadori	3883	First example of a silica gel-supported optically active Mn(III)–salen complex as a heterogeneous asymmetric catalyst in the epoxidation of olefins
P. W. H. Chan, I. F. Cottrell and M. G. Moloney	3887	Azasugar analogues: conformationally restricted vicinal diamine derived from (*S*)-(–)-pyroglutamic acid
C. M. L. Delpiccolo and E. G. Mata	3893	Solid-phase synthesis of 2β-methyl substituted penam derivatives through penicillin sulfoxide rearrangement

ARTICLES

M. Zhao, C. Wang, S. Peng and E. Winterfeldt	3899	Easy generation of an enantiopure general indolalkaloid building block by kinetic resolution
M. C. Aversa, A. Barattucci, P. Bonaccorsi, P. Giannetto, F. Nicolò and S. Rizzo	3907	Diels–Alder reactions of enantiopure [(1*S*)-isoborneol-10-sulfinyl]- and [(1*S-exo*)-2-bornylsulfinyl]vinylcyclohexenes with maleimides
M. C. Aversa, A. Barattucci, P. Bonaccorsi, B. F. Bonini, P. Giannetto and F. Nicolò	3919	Enantiopure sulfinylthiopyrans and related compounds from alkylsulfinylbuta-1,3-dienes
C. Barbieri, E. Caruso, P. D'Arrigo, G. Pedrocchi Fantoni and S. Servi	3931	Chemo-enzymatic synthesis of (*R*)- and (*S*)-3,4-dichlorophenylbutanolide intermediate in the synthesis of sertraline
G. Roda, S. Riva and B. Danieli	3939	Almond oxynitrilase-catalyzed transformation of aldehydes is strongly influenced by naphthyl and alkoxy substituents
V. V. Dunina, O. N. Gorunova, L. G. Kuz'mina, M. V. Livantsov and Yu. K. Grishin	3951	First optically active P*-chiral phosphapalladacycle
T. Kato, T. Ozaki and N. Ohi	3963	Improved synthetic methods of CP-060*S*, a novel cardioprotective drug
M. Knollmüller, M. Ferencic and P. Gärtner	3969	Enantioselective addition of organometallics to aldehydes using camphor derived chiral 1,4-aminoalcohols as ligands
J. I. Martín Hernando, M. del Rosario Rico Ferreira, J. I. Candela Lena, L. Toupet, N. Birlirakis and S. Arseniyadis	3977	Influence of the substitution pattern on the $Pb(OAc)_4$ mediated oxidative cleavage of steroidal 1,2-diols
R. I. Olsson and P. Ahlberg	3991	Composition of the activated complex in the stereoselective deprotonation of cyclohexene oxide by a chiral lithium amide
A. Avenoza, C. Cativiela, M. A. Fernández-Recio and J. M. Peregrina	3999	Asymmetric synthesis of conformationally constrained 4-hydroxyprolines and their applications to the formal synthesis of (+)-epibatidine
V. I. Tararov, R. Kadyrov, T. H. Riermeier, J. Holz and A. Börner	4009	Phosphines versus phosphinites as ligands in the rhodium catalyzed asymmetric hydrogenation of imines: a systematic study
J. Bálint, G. Egri, A. Kolbert, Cs. Dianóczky, E. Fogassy, L. Novák and L. Poppe	4017	Baker's yeast mediated reduction of dihydroxyacetone derivatives
K. Yonehara, T. Hashizume, K. Ohe and S. Uemura	4029	Synthesis of novel chiral phosphines from α,α-trehalose
K. Hallman, E. Macedo, K. Nordström and C. Moberg	4037	Enantioselective allylic alkylation using polymer-supported palladium catalysts

Y. Takaya, T. Senda, H. Kurushima, M. Ogasawara and T. Hayashi — 4047 Rhodium-catalyzed asymmetric 1,4-addition of arylboron reagents to α,β-unsaturated esters

B. Danieli, G. Lesma, S. Macecchini, D. Passarella and A. Silvani — 4057 Formal enantioselective synthesis of tacamonine starting from asymmetrized 2-substituted propane-1,3-diols

A535 Stereochemistry abstracts

I Instructions to contributors

VII Cumulative author index

NUMBER 21

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATIONS

R. R. Strickler and A. L. Schwan — 4065 Andersen chemistry with an α,β-unsaturated sulfinyl chloride: synthesis and Grignard reactions of homochiral cholesteryl $(R)_S$-(*E*)-*t*-butylethenesulfinate

M. Avalos, R. Babiano, P. Cintas, F. J. Higes, J. L. Jiménez, J. C. Palacios and G. Silvero — 4071 Atropisomeric carbohydrate imidazolidines: a novel class of nonbiaryl atropisomers

A. Ichikawa, S. Hiradate, A. Sugio, S. Kuwahara, M. Watanabe and N. Harada — 4075 Absolute configuration of 2-hydroxy-2-(1-naphthyl)propionic acid as determined by the ^{1}H NMR anisotropy method

U. T. Strauss and K. Faber — 4079 Deracemization of (±)-mandelic acid using a lipase–mandelate racemase two-enzyme system

K. Everaere, J.-F. Carpentier, A. Mortreux and M. Bulliard — 4083 *N*-Benzyl-norephedrine derivatives as new, efficient ligands for ruthenium-catalyzed asymmetric transfer hydrogenation of functionalized ketones

S. Jiang, G. Singh, D. J. Boam and J. R. Coggins — 4087 Synthesis of 3-deoxy-3,3-difluoroshikimic acid and its 4-epimer from quinic acid

M. Hemmerling, A. Sjöholm and P. Somfai — 4091 Probing the diastereoselectivity in the cyclization of cationic aminyl radicals

T. E. Pickett and C. J. Richards — 4095 The first example of an enantiopure planar chiral hydroxyferrocene ligand

ARTICLES

H. Wakita, H. Yoshiwara, A. Tajima, Y. Kitano and H. Nagase — 4099 Preparative resolution of a key intermediate for the synthesis of optically active *m*-phenylene PGI_2 derivatives

L.-F. Zhang, L. Chen, T.-C. Lee and S.-C. Ng — 4107 A facile route into 6^A-mono-ω-alkenylcarbamido-6^A-deoxy-perfunctionalised cyclodextrin: key intermediate for further reactive functionalisations

S. R. Ghorpade, K. B. Bastawade, D. V. Gokhale, P. D. Shinde, V. A. Mahajan, U. R. Kalkote and T. Ravindranathan — 4115 Enzymatic kinetic resolution studies of racemic 4-hydroxycyclopent-2-en-1-one using Lipozyme IM®

M. J. Milewska and T. Połoński — 4123 Chiroptical spectra of bicyclic selenolactams. Optical activity of the singlet–triplet transition

H. Adams, R. Bell, Y.-Y. Cheung, D. N. Jones and N. C. O. Tomkinson — 4129 The cleavage of *meso*-epoxides with homochiral thiols: synthesis of (+)- and (–)-*trans*-1-mercaptocyclohexan-2-ol

R. K. Kondru, C. H.-T. Chen, D. P. Curran, D. N. Beratan and P. Wipf — 4143 Determination of the absolute configuration of 1,3,5,7-tetramethyl-1,3-dihydroindol-2-one by optical rotation computation

M. Adamczyk, J. R. Fishpaugh and M. Thiruvazhi — 4151 The first asymmetric syntheses of L-homocysteine and L-homocystine

J. P. Cahill, D. Cunneen and P. J. Guiry — 4157 *trans*-2,5-Dialkylpyrrolidinyl-containing phosphinamines. Synthetic and mechanistic studies in Pd-catalysed asymmetric allylic alkylation

B. Colman, S. E. de Sousa, P. O'Brien, T. D. Towers and W. Watson	4175	Enantioselective rearrangement of a *meso*-cyclohexene oxide using norephedrine-derived chiral bases
R. Kawęcki	4183	Facile synthesis of homochiral derivatives of 10-bornane sulfinates, sulfinamides and sulfinimines
P. Berglund, I. Vallikivi, L. Fransson, H. Dannacher, M. Holmquist, M. Martinelle, F. Björkling, O. Parve and K. Hult	4191	Switched enantiopreference of *Humicola* lipase for 2-phenoxyalkanoic acid ester homologs can be rationalized by different substrate binding modes
E. Galardon, P. Le Maux, A. Bondon and G. Simonneaux	4203	Chiral recognition of amino esters by a ruthenium porphyrin complex: kinetics of the exchange process determined by ^{1}H NMR
M. Moreno-Mañas, E. Trepat, R. M. Sebastián and A. Vallribera	4211	Asymmetric synthesis of quaternary α-amino acids using D-ribonolactone acetonide as chiral auxiliary
M. J. van der Werf, J. A. M. de Bont and H. J. Swarts	4225	Acid-catalyzed enzymatic hydrolysis of 1-methylcyclohexene oxide
M. Haddad and M. Larchevêque	4231	A new route to (2*S*,4*R*)- and (2*R*,4*S*)-4-hydroxypipecolic acid
A. Goswami, K. D. Mirfakhrae and R. N. Patel	4239	Deracemization of racemic 1,2-diol by biocatalytic stereoinversion
J. Rifé and R. M. Ortuño	4245	Enantioselective synthesis of cyclopropane aminoalcohols containing quaternary stereogenic centers
	A569	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 22

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
A. Kamal, M. Arifuddin and M. V. Rao	4261	Enantioselective ring opening of epoxides with trimethylsilyl azide ($TMSN_3$) in the presence of β-cyclodextrin: an efficient route to 1,2-azido alcohols
V. A. Soloshonok, C. Cai and V. J. Hruby	4265	Asymmetric Michael addition reactions of chiral Ni(II)-complex of glycine with (*N-trans*-enoyl)oxazolidines: improved reactivity and stereochemical outcome
M. I. García-Moreno, C. Ortiz Mellet and J. M. García Fernández	4271	Polyhydroxylated *N*-(thio)carbamoyl piperidines: nojirimycin-type glycomimetics with controlled anomeric configuration
G. B. Giovenzana, R. Pagliarin, G. Palmisano, T. Pilati and M. Sisti	4277	Camphor-based oxazaphospholanes as chiral templates for the enantioselective synthesis of α-chlorophosphonic acids
K. Draillard, J. Lebreton and J. Villiéras	4281	A simple synthesis of (–)-(*R*)-ipsdienol and (–)-(*S*)-ipsenol
		ARTICLES
R. J. Bergeron, J. Bussenius, R. Müller, B. H. McCosar and J. S. McManis	4285	(*R*)- and (*S*)-*N*-(Benzyloxycarbonyl)-3,4-epoxybutylamine. New 4-amino-2-hydroxybutyl synthons for the synthesis of hypusine reagents and (*R*)-6- and (*S*)-7-hydroxyspermidine
J. W. Wong and M. P. Burns	4295	Microbial hydroxylation of (*Z*)-2-benzylidene-1-azabicyclo[2.2.2]octan-3-one
G.-S. Yang, J.-B. Hu, G. Zhao, Y. Ding and M.-H. Tang	4307	Catalytic enantioselective borane reduction of aromatic ketones with sulfonyl (*S*)-prolinol
C. Osorio, C. Duque, T. Koami and Y. Fujimoto	4313	Stereochemistry of (3*E*)-3,7-dimethyl-3-octene-1,2,6,7-tetraol isolated from *Passiflora quadrangularis*
S. E. Boiadjiev and D. A. Lightner	4321	Synthesis of an optically active dipyrrinone sulfide and sulfoxide

T. P. Keenan, D. Yaeger and D. A. Holt	4331	Synthesis of chiral nonracemic 4-*trans*-substituted pipecolic acid derivatives
J. Li, Y.-C. Liu and J.-G. Deng	4343	Asymmetric reduction of 2-bromo-1-phenylethylidenemalononitrile with chiral NAD(P)H models
R. A. Fernandes and P. Kumar	4349	Enantioselective synthesis of (*R*)-(–)-mevalonolactone via cyclic sulfate methodology
M. C. Carreño, J. L. García Ruano, A. Urbano, C. Z. Remor and Y. Arroyo	4357	On the mechanism and diastereoselectivity of 2,3-dihydrobenzofuran formation from sulfinylbenzoquinones and 2-trimethylsilyloxyfuran
M. Widhalm, U. Nettekoven and K. Mereiter	4369	Chiral ferrocene derivatives containing a 2,2′-bridged binaphthyl moiety
G. P. Luke and D. A. Holt	4393	Synthesis of (*S*)-5-(1-aminoethyl)-2-(cyclohexylmethoxy)benzamide
A. Liljeblad and L. T. Kanerva	4405	Enzymatic methods for the preparation of enantiopure malic and aspartic acid derivatives in organic solvents
O. Delacroix, S. Picart-Goetgheluck, L. Maciejewski and J. Brocard	4417	Synthesis of chiral ferrocenyl aminoalcohols involving a diastereospecific oxidation: use in asymmetric catalysis
J. L. García Ruano and A. Rumbero	4427	Free-radical cyclization of enantiomerically enriched 2-*p*-tolylthio derivatives of 2-allylcyclohexanones with Mn(III): asymmetric synthesis of bridged bicyclic ketones and thiochroman-3-ones
S. Wassmann, J. Wilken and J. Martens	4437	Synthesis and application of C_2-symmetrical bis-β-amino alcohols based on the octahydro-cyclopenta[*b*]pyrrole system in the catalytic enantioselective addition of diethylzinc to benzaldehyde
G. Broggini, G. Casalone, L. Garanti, G. Molteni, T. Pilati and G. Zecchi	4447	Asymmetric induction by the (*S*)-1-phenylethyl group in intramolecular nitrile imine cycloadditions giving enantiopure 3,3a-dihydro-pyrazolo[1,5-*a*][1,4]-benzodiazepine-4(6*H*)-ones
C. Bertucci, A. Petri, G. Felix, B. Perini and P. Salvadori	4455	Lipase-based HPLC stationary phase: enantioselective synthesis of 2-substituted 1,3-propanediol monoacetates
	A595	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 23

Contents

	v	Contributors to this issue
	vii	Graphical abstracts
		COMMUNICATIONS
M. D. Miquel-Serrano, A. Aghmiz, M. Diéguez, A. M. Masdeu-Bultó, C. Claver and D. Sinou	4463	Recoverable chiral palladium-sulfonated diphosphine catalysts for the asymmetric hydrocarboxylation of vinyl arenes
N. Mase, T. Nishi, Y. Takamori, H. Yoda and K. Takabe	4469	First synthesis of (*R*)-(–)-5-hydroxy-3-methyl-3-pyrrolin-2-one (jatropham) by lipase-catalyzed kinetic resolution
W.-W. Lee and S. Chang	4473	A new and concise synthetic route to an enantiopure (+)-conduritol-E derivative from diethyl L-tartrate
Q. K. Fang, C. H. Senanayake, Z. Han, C. Morency, P. Grover, R. E. Malone, H. Bulter, S. A. Wald and T. S. Cameron	4477	First preparation of enantiomerically pure sibutramine and its major metabolite, and determination of their absolute configuration by single crystal X-ray analysis
A. Soriente, M. De Rosa, A. Apicella, A. Scettri and G. Sodano	4481	First enantioselective synthesis of manoalide: application of aldehyde–dioxinone enantioselective condensation
		ARTICLES
L. Eggers and V. Buß	4485	A tolan substituted optically active spiropyran

N. W. Fadnavis, M. Sharfuddin and S. K. Vadivel	4495	Resolution of racemic 2-amino-1-butanol with immobilised penicillin G acylase
A. Saitoh, T. Uda and T. Morimoto	4501	A new class of C_2-symmetric diphosphine ligands derived from valine: remarkably diverse behavior in catalytic asymmetric transformations
D. B. Berkowitz, R. E. Hartung and S. Choi	4513	Hydrolytic enzymatic transformation of advanced synthetic intermediates: on the choice of the organic cosolvent
C. Herdeis, R. M. Mohareb, R. B. Neder, F. Schwabenländer and J. Telser	4521	Studies on the synthesis of chiral nonracemic 3,4-disubstituted azepanes, a formal synthesis of (+)- and (–)-balanol
P. Bakó, E. Czinege, T. Bakó, M. Czugler and L. Tőke	4539	Asymmetric C–C bond forming reactions with chiral crown catalysts derived from D-glucose and D-galactose
J. Wang, Y. Hou, P. Wu, Z. Qu and A. S. C. Chan	4553	Stereoselective synthesis of enantiomerically pure 4,5-disubstituted pyrrolidinones from β-amino esters
H. B. ten Brink, H. L. Holland, H. E. Schoemaker, H. van Lingen and R. Wever	4563	Probing the scope of the sulfoxidation activity of vanadium bromoperoxidase from *Ascophyllum nodosum*
G. Horváth and P. Huszthy	4573	Chromatographic enantioseparation of racemic α-(1-naphthyl)ethylammonium perchlorate by a Merrifield resin-bound enantiomerically pure chiral dimethylpyridino-18-crown-6 ligand
P. Skowronek and J. Gawroński	4585	Absolute configuration of α-phthalimido carboxylic acid derivatives from circular dichroism spectra
K. Krajewski, Z. Ciunik and I. Z. Siemion	4591	*c*-4-Amino-*t*-3-hydroxy-*r*-1-cyclohexanecarboxylic acid and *cis*-4-amino-3-oxo-1-cyclohexanecarboxylic acid—mimetics of dipeptides with a twisted *cis*-amide bond
A. Cipiciani, F. Bellezza, F. Fringuelli and M. Stillitano	4599	Enantioselectivity of alcohol-treated *Candida rugosa* lipase in the kinetic resolution of racemic methyl 2-aryloxypropionates in water and aqueous organic media
J. L. García Ruano, M. M. Cifuentes, A. Lorente and J. H. Rodríguez Ramos	4607	Highly stereoselective reduction of acyclic α-sulfinyl ketimines: synthesis of enantiomerically pure β-aminosulfoxides
E. Forró, Z. Szakonyi and F. Fülöp	4619	Enzymatic resolution of (±)-2-(N_b-*t*-butoxycarbonyl-N_a-methylhydrazino)-cycloalkanols
J. M. Odriozola, J. M. García, A. González and P. Gil	4627	Asymmetric synthesis of phoenicol, ferrugineol and cruentol, aggregation pheromones of *Rhynchophorus* spp.
S. Sengupta and D. Sen Sarma	4633	Stereoselective reduction of *N*-phthaloyl α-amino ketones: an expeditious synthesis of statine
M. Alcón, A. Moyano, M. A. Pericàs and A. Riera	4639	Enantioselective synthesis of unsaturated amino acids using *p*-methoxybenzylamine as an ammonia equivalent
A. Avenoza, C. Cativiela, J. M. Peregrina, D. Sucunza and M. M. Zurbano	4653	A straightforward synthesis of both enantiomers of α-vinylalanine and α-ethynylalanine
	A623	Stereochemistry abstracts
	I	Instructions to contributors
	VII	Cumulative author index

NUMBER 24

Contents

v Contributors to this issue

vii Graphical abstracts

COMMUNICATION

K. Everaere, J.-F. Carpentier, A. Mortreux and M. Bulliard	4663	Steric effects in the enantioselective transfer hydrogenation of 2-aroyl-acetates

ARTICLES

Z. Guo, A. Goswami, K. D. Mirfakhrae and R. N. Patel	4667	Asymmetric acyloin condensation catalyzed by phenylpyruvate decarboxylase
R. Kießwetter, N. Pustet, F. Brandl and A. Mannschreck	4677	1′,3′,3′-Trimethyl-6-nitrospiro[2*H*-1-benzopyran-2,2′-indoline]: its thermal enantiomerization and the equilibration with its merocyanine
W.-P. Deng, X.-L. Hou and L.-X. Dai	4689	The synthesis of novel chiral *N,O*-ferrocenyl ligands and their application in the addition of diethylzinc to aldehydes
A. P. Marchand, H.-S. Chong and B. Ganguly	4695	Synthesis of a novel cage-functionalized chiral binaphthol host: a potential new agent for enantioselective recognition of chiral ammonium salts
F. Bienewald, L. Ricard, F. Mercier and F. Mathey	4701	A new ligand containing a unique combination of backbone- and P-centered chirality: synthesis, resolution and asymmetric catalysis using a chiral enantiopure 2,2′-biphospholene
P. Di Felice, M. Maestri, F. Paradisi, G. Porzi and S. Sandri	4709	Highly stereocontrolled boron-mediated synthesis of β-hydroxy-α-amino acids and dipeptides. Part 2
L. Xie, W. Hua, A. S. C. Chan and Y.-C. Leung	4715	Asymmetric alcoholysis of 2-phenyl-5(4*H*)-oxazolones by the catalytic mixture of cyclo[(*S*)-His-(*S*)-Phe] with chiral auxiliaries
D. Moulin, C. Darcel and S. Jugé	4729	Versatile synthesis of P-chiral (ephedrine) AMPP ligands via their borane complexes. Structural consequences in Rh-catalyzed hydrogenation of methyl α-acetamidocinnamate
P. Besse, G. Bazlard-Mouysset, K. Boubekeur, P. Palvadeau, H. Veschambre, M. Payard and G. Mousset	4745	Microbiological reductions of chromen-4-one derivatives
M. Lemaire and J. Bolte	4755	Enzymatic resolution of a 1,2-cyclic sulphite glycerol derivative
T. Furutani, M. Hatsuda, R. Imashiro and M. Seki	4763	Facile synthesis of enantiopure 1,1′-binaphthyl-2,2′-dicarboxylic acid via lipase-catalyzed kinetic resolution
A. S. Demir, T. Dünnwald, H. Iding, M. Pohl and M. Müller	4769	Asymmetric benzoin reaction catalyzed by benzoylformate decarboxylase
O. Leoni, R. Bernardi, D. Gueyrard, P. Rollin and S. Palmieri	4775	Chemo-enzymatic preparation from renewable resources of enantiopure 1,3-oxazolidine-2-thiones
K. Borszeky, T. Mallat and A. Baiker	4781	Asymmetric hydrogenation of indene carboxylic acids: stereochemistry of hydrogen addition
D. Brózda, M. Chrzanowska, A. Głuszyńska and M. D. Rozwadowska	4791	Transformation of (+)-thiomicamine into a new ligand for the enantioselective addition of methyllithium to prochiral imines
R. A. Fernandes and P. Kumar	4797	A short and efficient stereoselective synthesis of dihydrosphingosine triacetate
K. Fiore, G. Martelli, M. Monari and D. Savoia	4803	Design and synthesis of enantiopure 1-[1(*S*)-(2-pyridyl)alkyl]-2(*R*)-isopropyl-aziridines, new ligands for asymmetric catalysis
P. Gärtner, M. F. Letschnig, M. Knollmüller and H. Völlenkle	4811	[1,2]-Wittig rearrangement of acetals. Part 1: Investigation about structural requirements
T. Kohara, Y. Hashimoto, R. Shioya and K. Saigo	4831	A new non-natural chiral auxiliary: design, synthesis, and resolution of 1-mesitylethylamine and its application in the asymmetric aza-Diels–Alder reaction
R. Annunziata, M. Benaglia, M. Cinquini and F. Cozzi	4841	Stereoselective synthesis of 2-azetidinones as cholesterol-absorption inhibitors
	A651	Stereochemistry abstracts
	I	Instructions to contributors